Index to Volume 132

Author Index*

A

Aaltonen O (*see* Vahatalo et al). 2005;132:636-640
Adali MK (*see* Tas et al). 2005;132:608-612
Adams RD (*see* Coulson et al). 2005;132:543-549
Adelson R (*see* Smith et al). 2005;132:373-380
Agra IMG (*see* Carvalho et al). 2005;132:862-868
Aguiar-Ricz LN (*see* Mamede et al). 2005;132:478-483
Aimoni C, Pelucchi S, Grasso DL, Libanore M, Martini A. Bacterial meningitis complicating suppurative otitis media and sinusitis. 2005;132:965-966 (Case rep.)
Akbas Y, Demireller A. Oncologic and functional results of supracricoid partial laryngectomy and cricohyoidopexy. 2005;132:783-787
Almadori G (*see* Maurizi et al). 2005;132:857-861
Amsberry JK (*see* Steward et al). 2005;132:957-959 (Case rep.)
Ang AHC, Goh Y-H. Idiopathic submandibular sialoceles in the neck. 2005;132:517-519 (Case rep.)
Angeli SI, Yan D, Telischi F, Balkany TJ, Ouyang ZM, Du LL, Eshraghi A, Goodwin L, Liu XZ. Etiologic diagnosis of sensorineural hearing loss in adults. 2005;132:890-895
Antonelli PJ (*see* Lee et al). 2005;132:896-900
Antonelli PJ (*see* Malaty et al). 2005;132:25-29
Antonelli PJ (*see* Mehta et al). 2005;132:322-326
Antonelli PJ, Lloyd KM, Lee JC. Gastric reflux is uncommon in acute post-tympanostomy otorrhea. 2005;132:523-526
Apan A (*see* Muluk et al). 2005;132:136-140
Arai Y (*see* Ikeda et al). 2005;132:788-793
Arcuri MF (*see* Del Rio et al). 2005;132:584-586
Armstrong WB, Karamzadeh AM, Crumley RL, Kelley TF, Jackson RP, Wong BJF. A novel laryngoscope instrument stabilizer for operative microlaryngoscopy. 2005;132:471-477
Arnone F (*see* Cantarella et al). 2005;132:239-243
Arosarena OA, Collins WL. Bone regeneration in the rat mandible with bone morphogenetic protein-2: a comparison of two carriers. 2005;132:592-597
Avelino MAG (*see* Valera et al). 2005;132:268-272

B

Bahar G (*see* Popovtzer et al). 2005;132:327-329
Balkany TJ (*see* Angeli et al). 2005;132:890-895
Barzilai G, Greenberg E, Cohen-Kerem R, Doweck I. Pattern of regional metastases from cutaneous squamous cell carcinoima of head and neck. 2005;132:852-856
Barzilai G, Greenberg E, Uri N. Indications for the Caldwell-Luc approach in the endoscopic era. 2005;132:219-220
Başak T (*see* Ercan et al). 2005;132:869-873
Basta D (*see* Ernst et al). 2005;132:554-558
Basta D, Eisenschenk A, Ernst A. (*see* Todt et al). 2005;132:751-754
Battista RA (*see* Kim et al). 2005;132:722-726
Battista RA. Intratympanic dexamethasone for profound idiopathic sudden sensorineural hearing loss. 2005;132:902-905
Benfari G and de Vincentiis M. Postoperative airway obstruction: a complication of a previously undiagnosed hypothyroidism. 2005;132:343-344 (Case rep.)
Benninger M (*see* Meltzer et al). 2005;132:197-207
Benninger MS. Contribution and accomplishment. 2005;132:1-4 (Editorial)
Benninger MS, Jackler RK, Johnson JT, Johns MM, Ruben RJ, Sataloff RT, Smith RJH, Weber PC, Weber RS, Young ED. Consortium of otolaryngology-head and neck surgery journals to collaborate in maintenance of high ethical standards. 2005;132:675-676 (Editorial)
Berghaus A (*see* Knipping et al). 2005;132:620-625
Berner U (*see* Kovacs et al). 2005;132:570-576
Bertrand B (*see* Rombaux et al). 2005;132:816-817 (Case rep.)
Bhattacharyya N, Nayak VK. Survival outcomes for second primary head and neck cancer: matched analysis. 2005;132:63-68
Bielawska A (*see* Rossi et al). 2005;132:55-62
Bilgen C (*see* Kirazli et al). 2005;132:933-937
Bitar MA, Moukarbel RV, Zalzal GH. Management of congenital subglottic hemangioma: trends and success over the past 17 years. 2005;132:226-231
Blaiss M (*see* Meltzer et al). 2005;132:197-207
Bloching M (*see* Knipping et al). 2005;132:620-625
Boedeker CC (*see* Ridder et al). 2005;132:353-358
Boedeker CC, Neumann HPH, Ridder GJ, Maier W, Schipper J. Paragangliomas in patients with mutations of the SDHD gene. 2005;132:467-470
Bolger WE, Tadros M, Ellenbogen RG, Judy K. Endoscopic management of cerebrospinal fluid leak associated with the use of bone wax in skull-base surgery. 2005;132:418-420
Bongioannini G (*see* Magnano et al). 2005;132:776-782
Borasi F (*see* Cimmino et al). 2005;132:295-302
Borin A (*see* Penido et al). 2005;132:37-42
Boseley ME (*see* Henry et al). 2005;132:336-337 (Case rep.)
Bradford CR (*see* Rubin et al). 2005;132:520-522 (Case rep.)
Brandariz JA, Grau M. Tracheal wall for the reconstruction of extended hemilaryngectomy in the rabbit model. 2005;132:770-775
Bran G (*see* Stuck et al). 2005;132:132-135
Brennan J (*see* Michaelson et al). 2005;132:661-662 (Case rep.)
Brennan JA (*see* Lowry and Brennan). 2005;132:658-660 (Case rep.)
Bryson PC (*see* Gillman and Bryson). 2005;132:334-335 (Case rep.)
Buchman CA (*see* Copeland et al). 2005;132:421-428
Bullock M (*see* Cheng et al). 2005;132:150-151 (Case rep.)
Burman KD (*see* Burningham et al). 2005;132:840-844
Burningham AR, Kirshnan J, Davidson BJ, Ringel, MD, Burman KD. Papillary and follicular variant of papillary carcinoma of the thyroid: Intial presentation and response to therapy. 2005;132:840-844

C

Çakir B (*see* Ercan et al). 2005;132:869-873
Campisi P (*see* Propst et al). 2005;132:165-166 (Clin. photo.)
Campobasso C (*see* Marioni et al). 2005;132:665-666 (Case rep.)
Campos OD (*see* Carvalho et al). 2005;132:862-868
Canale G (*see* Magnano et al). 2005;132:776-782
Cantarella G, Mazzola RF, Domenichini E, Arnone F, Maraschi B. Vocal fold augmentation by autologous fat injection with lipostructure procedure. 2005;132:239-243
Carew J (*see* Thevarajah et al). 2005;132:960-962 (Case rep.)
Carvalho AL, Kowalski LP, Agra, IMG, Pontes, E, Campos, OD, Pellizzon, ACA. Treatment results on advanced neck metastasis (N3) from head and neck squamous carcinoma. 2005;132:862-868
Carvalho J (*see* Torrealba et al). 2005;132:339-340 (Case rep.)

*January, pp. 1-168; February, pp. 169-346; March, pp. 347-522; April, pp. 523-674; May, pp. 675-818; June, pp. 819-996.

Casiano RR (*see* Dave et al). 2005;132:834-839
Çelik A (*see* Yilmaz et al). 2005;132:309-316
Cerri GG (*see* Chammas et al). 2005;132:874-882
Ceruse P, Ramade A, Vautrin R, Crozes C, Dubreuil C, Disant F. Inflammatory pseudotumor of the neck: A long-term result without surgical approach. 2005;132:812-813 (Case rep.)
Cetinkaya E (*see* Labadie et al). 2005;132:435-442
Chammas MC, Gerhard R, Souza de Oliveira IR, Widman A, de Barros N, Durazzo M, Ferraz A, Cerri GG. Thyroid nodules: Evaluation with power Doppler and duplex Doppler ultrasound. 2005;132:874-882
Chang CYJ, Gray LC. Pressed scar tissue for tympanic membrane grafting in revision tympanoplasty. 2005;132:30-36
Chang H-W (*see* Hwang et al). 2005;132:924-927
Chang K-P, Chen Y-L, Hao S-P, Chen S-M. Ultrasound-guided closed drainage for abscesses of the head and neck. 2005;132:119-124
Chang KW. Randomized controlled trial of Coblation *versus* electrocautery tonsillectomy. 2005;132:273-280
Chang Y-L, Lo S-H, Shu Y-H. Adult acute epiglottis: Experiences in a Taiwanese setting. 2005;132:689-693
Chao T-K. Uncommon anatomic variations in patients with chronic paranasal sinusitis. 2005;132:221-225
Chen A, Garrett CG. Otolaryngologic presentations of amyotrophic lateral sclerosis. 2005;132:500-504
Chen SH (*see* Yang and Chen). 2005;132:110-114
Chen S-M (*see* Chang et al). 2005;132:119-124
Cheng SS (*see* Rubin et al). 2005;132:520-522 (Case rep.)
Chen Y-L (*see* Chang et al). 2005;132:119-124
Chen YS (*see* Windfuhr et al). 2005;132:281-286
Chen Y-Y (*see* Liu et al). 2005;132:395-400
Cheng N, Taylor SM, Bullock M, Hanly J. Focal myositis of the sternocleidomastoid muscle. 2005;132:150-151 (Case rep.)
Chen Y-S (*see* Huang et al). 2005;132:943-947
Cheung A (*see* Rinehart et al). 2005;132:69-74
Chevray P (*see* Ward et al). 2005;132:86-89
Chi F-L (*see* Wang et al). 2005;132:50-54
Chia KH (*see* Pang et al). 2005;132:667-668 (Case rep.)
Chien C-Y (*see* Hwang et al). 2005;132:924-927
Chin S-C (*see* Kao et al). 2005;132:167-168 (Clin. photo.)
Chitose S-I (*see* Tschopp et al). 2005;132:103-107
Cho J-H (*see* Jun et al). 2005;132:429-434
Cho K-J (*see* Jun et al). 2005;132:429-434
Cimmino MA, Maio T, Ugolini D, Borasi F, Mela GS. Trends in otolaryngology research during the period 1995-2000: a bibliometric approach. 2005;132:295-302
Cirillo S (*see* Magnano et al). 2005;132:776-782
Clarke A (*see* Ernst et al). 2005;132:554-558
Clayton WA (*see* Tucker et al). 2005;132:20-24
Cohen-Kerem R (*see* Barzilai G). 2005;132:852-856
Colletti V, Fiorino F. Is the middle fossa approach the treatment of choice for intracanalicular vestibular schwannoma? 2005;132:459-466
Collins WL (*see* Arosarena and Collins). 2005;132:592-597
Collins WO, Younis RT, Garcia MT. Extramedullary hematopoiesis of the paranasal sinuses in sickle cell disease. 2005;132:954-956 (Case rep.)
Copeland BJ, Senior BA, Buchman CA, Pillsbury HC III. The accuracy of computer-aided surgery in neurotologic approaches to the temporal bone: a cadaver study. 2005;132:421-428
Corliss R (*see* Torrealba et al). 2005;132:339-340 (Case rep.)
Coulson SE, Croxson GR, Adams RD, O'Dwyer NJ. Reliability of the "Sydney," "Sunnybrook," and "House Brackmann" facial grading systems to assess voluntary movement and synkinesis after facial nerve paralysis. 2005;132:543-549
Croxson GR (*see* Coulson et al). 2005;132:543-549
Crozes C (*see* Ceruse P). 2005;132:812-813 (Case rep.)
Crumley RL (*see* Armstrong et al). 2005;132:471-477
Cruz OLM (*see* Penido et al). 2005;132:37-42

D

Dahlqvist A (*see* Niklasson and Dahlqvist). 2005;132:694-700
Dai C-F (*see* Wang et al). 2005;132:50-54
Danaher PJ (*see* Henry et al). 2005;132:336-337 (Case rep.)
Dave SP, Lehman DA, Casiano RR. Tissue model and preliminary analysis of microdebriders used in functional endoscopic sinus surgery. 2005;132:834-839
Davidson BJ (*see* Burningham et al). 2005;132:840-844
Davis GE, Yueh B, Walker E, Katon W, Koepsell TD, Weymuller EA Jr. Psychiatric distress amplifies symptoms after surgery for chronic rhinosinusitis. 2005;132:189-196
Day TA (*see* Rossi et al). 2005;132:55-62
de Barros N (*see* Chammas et al). 2005;132:874-882
De Corso E (*see* Maurizi et al). 2005;132:857-861
Delacure MD (Lomtempio et al). 2005;132:948-953 (Review)
Delibas N (*see* Yariktas et al). 2005;132:713-716
Del Rio P, Arcuri MF, Ferreri G, Sommaruga L, Sianesi M. The utility of serum PTH assessment 24 hours after total thyroidectomy. 2005;132:584-586
de Melo Pádua FG (*see* Voegels and de Melo Pádua). 2005;132:613-616
Demireller A (*see* Akbas and Demireller). 2005;132:783-787
de Vincentiis M (*see* Benfari G and de Vincentiis). 2005;132:343-344 (Case rep.)
Diaz FJ (*see* Sastre et al). 2005;132:663-664 (Case rep.)
DiMartino EFN, Gagel B, Schramm O, Maneschi, P, Westhofen M. Evaluation of tumor oxygenation by color duplex sonography: A new approach. 2005;132:765-769
Disant F (*see* Ceruse P). 2005;132:812-813 (Case rep.)
Dogru H (*see* Yariktas et al). 2005;132:713-716
Domenichini E (*see* Cantarella et al). 2005;132:239-243
Doner F (*see* Yariktas et al). 2005;132:713-716
Doweck I (*see* Barzilai G). 2005;132:852-856
Draf W (*see* Gerein et al). 2005;132:392-394
Driscoll CLW (*see* Martin et al). 2005;132:537-542
D'Souza A (*see* Grainger et al). 2005:132;849-851
Düber C (*see* Stuck et al). 2005;132:132-135
Dubreuil C (*see* Ceruse P). 2005;132:812-813 (Case rep.)
Ducic Y (*see* Smith et al). 2005;132:373-380
Du LL (*see* Angeli et al). 2005;132:890-895
Dumanian GA (*see* Lin et al). 2005;132:845-848
Dupclay L (*see* Meltzer et al). 2005;132:197-207
Durazzo M (*see* Chammas et al). 2005;132:874-882
Dutra J (*see* Lin et al). 2005;132:845-848

E

Eckel HE (*see* Quante et al). 2005;132:247-248
Eckert A (*see* Stuck et al). 2005;132:132-135
Eggert S (*see* Pau et al). 2005;132:43-49
Eggert S (*see* Sievert et al). 2005;132:451-455
Eichhammer P (*see* Kleinjung et al). 2005;132:566-569
Eisenschenk A (*see* Todt et al). 2005;132:751-754
Eliachar I (*see* Eliashar et al). 2005;132:115-118
Eliashar R, Sichel J-Y, Eliachar I. A new surgical technique for primary closure of long-term tracheostomy. 2005;132:115-118
Eljamel MS (*see* Montague et al). 2005;132:509-510 (Case rep.)
Ellenbogen RG (*see* Bolger et al). 2005;132:418-420
Enatsu K (*see* Takasaki et al). 2005;132:669-670 (Case rep.)

Engelke J-C (*see* Haensel et al). 2005;132:456-458
England D (*see* Torrealba et al). 2005;132:339-340 (Case rep.)
Ercan İ, Çakir B, BaOak T, Özdemir T, Sayin İ, Turgut S. Prognostic significance of stromal eosinophilic infiltration in cancer of the larynx. 2005:132:869-873
Ernst A (*see* Seidl et al). 2005;132:484-486
Ernst A (*see* Todt et al). 2005;132:751-754
Ernst A, Basta D, Seidl RO, Todt I, Scherr H, Clarke A. Management of posttraumatic vertigo. 2005;132:554-558
Eshraghi A (*see* Angeli et al). 2005;132:890-895

F

Fagan P (*see* Flint et al). 2005;132:507-508 (Case rep.)
Fang F (*see* Larsen et al). 2005;132:514-516 (Case rep.)
Farwell DG (*see* Futran et al). 2005;132:75-85
Feinmesser R (*see* Popovtzer et al). 2005;132:327-329
Felmlee JP (*see* Martin et al). 2005;132:537-542
Fenlon MR (*see* Labadie et al). 2005;132:435-442
Ferraz A (*see* Chammas et al). 2005;132:874-882
Ferreri G (*see* Del Rio et al). 2005;132:584-586
Filho JG, Kowalski LP. Surgical complications after thyroid surgery performed in a cancer hospital. 2005;132:490-494
Fine N (*see* Lin et al). 2005;132:845-848
Finke C (*see* Gottwald et al). 2005;132:330-333
Fiorino F (*see* Colletti and Fiorino). 2005;132:459-466
Fischer U (*see* Rajan et al). 2005;132:161-162 (Case rep.)
Fisher LM (*see* Slattery et al). 2005;132:5-10
Fishman AJ, Marrinan MS, Huang TC, Kanowitz SJ. Total tympanic membrane reconstruction: AlloDerm versus temporalis fascia. 2005;132:906-915
Fitzpatrick JM (*see* Labadie et al). 2005;132:435-442
Flanary V (*see* Rieder and Flanary). 2005;132:263-267
Flint D, Fagan P, Sheehy J. An intracranial vagal schwannoma without jugular foramen erosion or vagal dysfunction. 2005;132:507-508 (Case rep.)
Fliss DM (*see* Khafif et al). 2005;132:317-321
Fliss DM (*see* Khafif et al). 2005;132:401-406
Fowler CB (*see* Michaelson et al). 2005;132:661-662 (Case rep.)
Francis HF (*see* Limb et al). 2005;132:741-745
Fujita R (*see* Valera et al). 2005;132:268-272
Fukuda Y (*see* Penido et al). 2005;132:37-42
Funk GF (*see* Futran et al). 2005;132:75-85
Futran ND, Farwell DG, Smith RB, Johnson PE, Funk GF. Definitive management of severe facial trauma utilizing free tissue transfer. 2005;132:75-85

G

Gagel B (*see* DiMartino et al). 2005;132:765-769
Galli J (*see* Maurizi et al). 2005;132:857-861
Galli J, Volante M, Parrilla C, Rigante M, Valenza V. Oropharyngoesophageal scintigraphy in the diagnostic algorithm of laryngopharyngeal reflux disease: A useful exam? 2005;132:717-721
Galloway RL (*see* Labadie et al). 2005;132:435-442
Galvagno MB (*see* Magnano et al). 2005;132:776-782
Galván-Aguilera AA (*see* Lazo-Saenz et al). 2005;132:626-631
Gamallo C (*see* Sastre et al). 2005;132:663-664 (Case rep.)
Garcia J (*see* Meltzer et al). 2005;132:197-207
Garcia MT (*see* Collins et al). 2005;132:954-956 (Case rep.)
Gardner EK (*see* Kaylie et al). 2005;132:443-450
Garrett CG (*see* Chen and Garrett). 2005;132:500-504
Gatehouse S (*see* Kubba et al). 2005;132:647-652
Gautham K (*see* Kirtane et al). 2005;132:208-212
Gedikoglu G (*see* Yilmaz et al). 2005;132:309-316
Georges G (*see* Meltzer et al). 2005;132:197-207
Gerein J (*see* Gerein et al). 2005;132:392-394
Gerein V, Rastorguev E, Gerein J, Draf W, Schirren J. Incidence, age at onset, and potential reasons of malignant transformation in recurrent respiratory papillomatosis patients: 20 years experience. 2005;132:392-394
Gerencer RZ. Successful outpatient treatment of sinusitis exacerbations caused by community-acquired methicillin-resistant *Staphylococcus aureus*. 2005;132:828-833
Gerhard R (*see* Chammas et al). 2005;132:874-882
Ghossaini SN (*see* Wazen et al). 2005;132:928-932
Gil Z (*see* Khafif et al). 2005;132:317-321
Gil Z (*see* Khafif et al). 2005;132:401-406
Gilbert DA (*see* Golz et al). 2005;132:495-499
Gillman G, Bryson PC. Ethmoid schwannoma. 2005;132:334-335 (Case rep.)
Goddard JC, Reiter ER. Inpatient management of epistaxis: Outcomes and cost. 2005;132:707-712
Goebel JA, Jacob A. Use of Mimix hydroxyapatite bone cement for difficult ossicular reconstruction. 2005;132:727-734
Goh Y-H (*see* Ang and Goh). 2005;132:517-519 (Case rep.)
Gokalp O (*see* Yariktas et al). 2005;132:713-716
Goldenberg D (*see* Golz et al). 2005;132:495-499
Golz A, Netzer A, Westerman ST, Westerman LM, Gilbert DA, Joachims HZ, Goldenberg D. Reading performance in children with otitis media. 2005;132:495-499
Goodwin L (*see* Angeli et al). 2005;132:890-895
Gottwald F, Iro H, Finke C, Zenk J. Thoracic duct cysts: a rare differential diagnosis. 2005;132:330-333
Gouveris H, Maurer J, Mann W. DPOAE-grams in patients with acute tinnitus. 2005;132:550-553
Graham V (*see* Sedwick et al). 2005;132:381-386
Grainger J, Saravanappa N, D'Souza A, Wilcock D, Wilson PS. The surgical approach to retrosternal goiters: The role of computerized tomography. 2005;132:849-851
Granados-García M (*see* Luna-Ortiz et al). 2005;132:587-591
Granström G (*see* Priwin and Granstrom). 2005;132:559-565
Grasso DL (*see* Aimoni et al). 2005;132:965-966 (Case rep.)
Grau M (*see* Brandariz and Grau). 2005;132:770-775
Gray LC (*see* Chang and Gray). 2005;132:30-36
Greenberg E (*see* Barzilai et al). 2005;132:219-220
Greenberg E (*see* Barzilai G). 2005;132:852-856
Gudziol V, Mewes T, Mann WJ. Rapid Rhino: a new pneumatic nasal tamponade for posterior epistaxis. 2005;132:152-155 (Case rep.)

H

Hadley J (*see* Meltzer et al). 2005;132:197-207
Hadley JA (*see* Witsell et al). 2005;132:171-179
Haensel J, Engelke J-C, Ottenjann W, Westhofen M. Long-term results of cochlear implantation in children. 2005;132:456-458
Hajak G (*see* Kleinjung et al). 2005;132:566-569
Hale BR (*see* Virgilio and Hale). 2005;132:800-801 (Clinical photo.)
Hamoir M (*see* Rombaux et al). 2005;132:816-817 (Case rep.)
Hamscho N (*see* Kovacs et al). 2005;132:570-576
Hanly J (*see* Cheng et al). 2005;132:150-151 (Case rep.)
Hannley MT (*see* Witsell et al). 2005;132:171-179
Hannun YA (*see* Rossi et al). 2005;132:55-62
Hao S-P (*see* Chang et al). 2005;132:119-124
Happonen R-P (*see* Vahatalo et al). 2005;132:636-640
Harasztosi C (*see* Tóth et al). 2005;132:701-706
Harris SS (*see* Labadie et al). 2005;132:435-442
Hartley BEJ (*see* Wyatt and Hartley). 2005;132:232-238
Harvey M (*see* Hotchkiss et al). 2005;132:916-923
Hashimoto K (*see* Shinohara et al). 2005;132:963-964 (Case rep.)
Hayashi I (*see* Sasai et al). 2005;132:685-688
Haynes DS (*see* Labadie et al). 2005;132:435-442
Hein G (*see* Maurer et al). 2005;132:125-131

Henry LR, Danaher PJ, Boseley ME. Laryngeal sporotrichosis mimicking merkel cell carcinoma recurrence. 2005;132:336-337 (Case rep.)
Herr BD, Marzo SJ. Intratympanic steroid perfusion for refractory sensorineural hearing loss. 2005;132:527-531
Herrera-Gómez A (*see* Luna-Ortiz et al). 2005;132:587-591
Hirsch BE (*see* Simons et al). 2005;132:809-811 (Case rep.)
Ho CY (*see* Tseng and Ho). 2005;132:814-815 (Case rep.)
Hodges JM (*see* Marrs et al). 2005;132:163-164 (Case rep.)
Hollenbeak CS (*see* Ruda et al). 2005;132:359-372
Holsinger C (*see* Laccourreye and Holsinger). 2005;132:108-109
Holzer SS (*see* Witsell et al). 2005;132:171-179
Holzhausen HJ (*see* Knipping et al). 2005;132:620-625
Hone S (*see* Low et al). 2005;132:244-246
Hörmann K (*see* Maurer et al). 2005;132:125-131
Hörmann K (*see* Stuck et al). 2005;132:132-135
Hotchkiss K, Harvey M, Pacheco M, Sokolowski B. Ion channel proteins in mouse and human vestibular tissue. 2005;132:916-923
Hou J-H (*see* Liu et al). 2005;132:395-400
Hsu C-J (*see* Huang et al). 2005;132:943-947
Huang TC (*see* Fishman et al). 2005;132:906-915
Huang T-T, Tseng F-Y, Liu T-C, Hsu C-J, Chen Y-S. Deep neck infection in diabetic patients: Comparison of clinical picture and outcomes with nondiabetic patients. 2005;132:943-947
Hurst R (*see* Khafif et al). 2005;132:317-321
Huseyinova G (*see* Tas et al). 2005;132:608-612
Hussain SSM (*see* Montague et al). 2005;132:509-510 (Case rep.)
Hutchinson L (*see* Rinehart et al). 2005;132:69-74
Hwang C-F, Chien C-Y, Lin H-C, Peng J-P, Chang H-W, Su C-Y. Laser myringotomy for otitis media with effusion in nasopharyngeal carcinoma patients. 2005;132:924-927

I

Iha LCN (*see* Penido et al). 2005;132:37-42
Ikeda Y, Tsukuda M, Ishitoya J, Arai Y, Matsuda H, Katori H, Taguchi T, Yoshida T, Ono M, Sakuma Y, Yagisawa M, Saito N. Four cases of simultaneous triple primary cancers of the hypopharynx, esophagus, and stomach. 2005;132:788-793
Imauchi Y, Karino S, Yamasoba T. Acquired atrophy of the long process of the incus. 2005;132:156-158 (Case rep.)
Iqbal Z (*see* Slattery et al). 2005;132:5-10
Iro H (*see* Gottwald et al). 2005;132:330-333
Ishitoya J (*see* Ikeda et al). 2005;132:788-793
Iwai H, Yamashita T. Local excision procedure for Warthin's tumor of the parotid gland. 2005;132:577-580

J

Jackler RK (*see* Benninger et al). 2005;132: 675-676 (Editorial)
Jackson CG (*see* Kaylie et al). 2005;132:443-450
Jackson RP (*see* Armstrong et al). 2005;132:471-477
Jacob A (*see* Goebel and Jacob). 2005;132:727-734
Jacob P (*see* Kleinjung et al). 2005;132:566-569
Jammal H (*see* Limb et al). 2005;132:741-745
Jedynak AR (*see* Rosen et al). 2005;132:511-513 (Case rep.)
Jian X-C, Wang C-X, Jiang C-H. Surgical management of primary and secondary tumors in the pterygopalatine fossa. 2005;132: 90-94
Jiang C-H (*see* Jian et al). 2005;132:90-94
Joachims HZ (*see* Golz et al). 2005;132:495-499
Johns MM (*see* Benninger et al). 2005;132: 675-676 (Editorial)
Johnson JT (*see* Benninger et al). 2005;132: 675-676 (Editorial)
Johnson PE (*see* Futran et al). 2005;132:75-85
Joseph A (*see* Ward et al). 2005;132:86-89
Judy K (*see* Bolger et al). 2005;132:418-420
Juillard GF (Lomtempio et al). 2005;132:948-953 (Review)
Jun B-C, Song S-W, Park C-S, Lee D-H, Cho K-J, Cho J-H. The analysis of maxillary sinus aeration according to aging process; volume assessment by 3-dimensional reconstruction by high-resolution CT scanning. 2005;132:429-434
Jung TTK, Park SK. Mediolateral graft tympanoplasty for anterior of subtotal tympanic membrane perforation. 2005;132:532-536
Juszczyk AS (*see* Labadie et al). 2005;132:435-442

K

Kaçmaz M (*see* Muluk et al). 2005;132:136-140
Kanowitz SJ (*see* Fishman et al). 2005;132:906-915
Kao C-H, Wang H-W, Lee J-C, Chin S-C. Pseudotumor of the hypopharynx-displaced superior cornu of the thyroid cartilage. 2005;132:167-168 (Clin. photo.)
Kaplan DM (*see* Khafif et al). 2005;132:401-406
Karamzadeh AM (*see* Armstrong et al). 2005;132:471-477
Karasalihoglu AR (*see* Tas et al). 2005;132:608-612
Karatzanis AD (*see* Lachanas et al). 2005;132:487-489
Karino S (*see* Imauchi et al). 2005;132:156-158 (Case rep.)
Kartush JM (*see* Patni and Kartush). 2005;132:11-19
Katon W (*see* Davis et al). 2005;132:189-196
Katori H (*see* Ikeda et al). 2005;132:788-793
Kaylie DM, Jackson CG, Gardner EK. Surgical management of Meniere's disease in the era of gentamicin. 2005;132:443-450
Kelley TF (*see* Armstrong et al). 2005;132:471-477
Kelly, J (*see* Mitchell and Kelly). 2005;132:681-684
Keni J (*see* Lin et al). 2005;132:845-848
Kennedy DW. Commentary—routine histopathology in uncomplicated sinus surgery: is it necessary? 2005;132:413
Kerrebijn JDF (*see* Sewnaik et al). 2005;132:95-98
Ketenci I, Ünlü Y, Şentürk M, Tuncer E. Indolent mucormycosis of the sphenoid sinus. 2005;132:341-342 (Case rep.)
Keville L (*see* Rinehart et al). 2005;132:69-74
Khafif A, Hurst R, Kyker K, Fliss DM, Gil Z, Medina JE. Curcumin: a new radio-sensitizer of squamous cell carcinoma cells. 2005; 132:317-321
Khafif A, Segev Y, Kaplan DM, Gil Z, Fliss DM. Surgical management of parapharyngeal space tumors: a 10-year review. 2005; 132:401-406
Khalifa MC. Simultaneous bilateral posterior cordectomy in bilateral vocal fold paralysis. 2005;132:249-250
Kida A (*see* Makiyama et al). 2005;132:641-646
Kimel M (*see* Meltzer et al). 2005;132:197-207
Kim HH, Wiet RJ, Battista RA. Trends in the diagnosis and the management of Meniere's disease: Results of a survey. 2005;132: 722-726
Kirazli T, Bilgen C, Midilli RL, Ögüt F. Hearing results after primary cartilage tympanoplasty with island technique. 2005;132:933-937
Kirshnan J (*see* Burningham et al). 2005;132:840-844
Kirtane MV, Gautham K, Upadhyaya SR. Endoscopic CSF rhinorrhea closure: our experience in 267 cases. 2005;132:208-212
Kisa Ü (*see* Muluk et al). 2005;132:136-140
Kjaergaard J (*see* Lee et al). 2005;132:755-764
Kleinjung T, Eichhammer P, Langguth B, Jacob P, Marienhagen J, Hajak G, Wolf SR, Strutz J. Long-term effects of repetitive transcranial magnetic stimulation (rTMS) in patients with chronic tinnitus. 2005;132:566-569
Kleinman L (*see* Meltzer et al). 2005;132:197-207
Klußmann JP (*see* Quante et al). 2005;132:247-248
Knipping S, Holzhausen HJ, Berghaus A, Bloching M, Riederer A. Ultrastructural detection of nitric oxide in human nasal mucosa. 2005;132:620-625
Knoedgen R (*see* Quante et al). 2005;132:247-248
Ko CY (*see* Lee and Ko). 2005;132:303-308
Kocatürk S, Han Ü, Yilmazer D, Onal B, Erkam Ü. A hystopatho-

logical study of thyroarytenoid muscle invasion in early (T1) glottic carcinoma. 2005;132:581-583
Koç C (*see* Muluk et al). 2005;132:136-140
Koepsell TD (*see* Davis et al). 2005;132:189-196
Kokki H (*see* Nikanne et al). 2005;132:287-294
Komura A (*see* Sakamoto et al). 2005;132:159-160 (Case rep.)
Köpke J (*see* Stuck et al). 2005;132:132-135
Kovács AF, Landes CA, Hamscho N, Risse JH, Berner U, Menzel C. Sentinel lymph node biopsy as staging tool in a multimodality treatment approach to cancer of the oral cavity and the oropharynx. 2005;132:570-576
Kowalski LP (*see* Carvalho et al). 2005;132:862-868
Kowalski LP (*see* Filho and Kowalski). 2005;132:490-494
Koybasi S (*see* Rossi et al). 2005;132:55-62
Krause T (*see* Tschopp et al). 2005;132:99-102
Kronenberg J (*see* Talmi et al). 2005;132:598-601
Kronowitz S (*see* Ward et al). 2005;132:86-89
Kruschinski, C. Welkoborsky, H-J. Tuberculosis of the larynx associated with orofacial granulomatosis in childhood. (Clinical photo.). 2005;132:967-969
Kubba H, Swan IRC, Gatehouse S. Measuring quality of life in preschool children with sore throats and otitis media using the TAPQOL questionnaire. 2005;132:647-652
Kubo T (*see* Sasai et al). 2005;132:685-688
Kuller M (*see* Wazen et al). 2005;132:928-932
Kupferman TA, Lian TS. Implementation of duty hour standards in otolaryngology-head and neck surgery residency training. 2005;132:819-822
Kuriyama H (*see* Lee et al). 2005;132:755-764
Kyker K (*see* Khafif et al). 2005;132:317-321

L

Laaksonen J-P (*see* Vahatalo et al). 2005;132:636-640
Labadie RF, Shah RJ, Harris SS, Cetinkaya E, Haynes DS, Fenlon MR, Juszczyk AS, Galloway RL, Fitzpatrick JM. In vitro assessment of image-guided otologic surgery: submillimeter accuracy within the region of the temporal bone. 2005;132:435-442
Laccourreye O, Holsinger C. A simple method to expose the surgical field when performing a thyroplasty. 2005;132:108-109
Lachanas VA, Prokopakis EP, Mpenakis AA, Karatzanis AD, Velegrakis GA. The use of Ligasure Vessel Sealing System in thyroid surgery. 2005;132:487-489
Lacosta JL (*see* Perez Fernandez et al). 2005;132:671-673 (Case rep.)
Landes CA (*see* Kovacs et al). 2005;132:570-576
Langguth B (*see* Kleinjung et al). 2005;132:566-569
Larsen AS (*see* von Buchwald and Larsen). 2005;132:602-607
Larsen CG, Fang F, Militsakh O, Tawfik O, Wallace DI. Histoplasmosis presenting as upper airway obstruction. 2005;132:514-516 (Case rep.)
Lazo-Sáenz JG, Galvan-Aguilera AÁ, Martínez-Ordaz VA, Velasco-Rodríguez VM, Nieves-Rentería A, Rincóñ-Castaneda C. Eustachian tube dysfunction in allergic rhinitis. 2005;132:626-631
Leahy M (*see* Meltzer et al). 2005;132:197-207
Lee D-H (*see* Jun et al). 2005;132:429-434
Lee JC (*see* Antonelli et al). 2005;132:523-526
Lee JC (*see* Malaty et al). 2005;132:25-29
Lee JC, Remtulla RA, Stevens GR, Zhang M, Antonelli PJ. Preoperative antibiotic and steroid therapy and hearing loss caused by semicircular canal transection in pseudomonas otitis media. 2005;132:896-900
Lee J-C (*see* Kao et al). 2005;132:167-168 (Clin. photo.)
Lee JT, Ko CY. Has survival improved for nasopharyngeal carcinoma in the United States? 2005;132:303-308
Lee WT, Shimizu K, Kuriyama H, Tanaka H, Kjaergaard J, Shu S. Tumor-dendritic cell fusion as a basis for cancer immunotherapy. 2005;132:755-764
Lee WT, Weber PC. Melanoma metastasis masquerading as bilateral neuromas. 2005;132:505-506 (Case rep.)
Lehman DA (*see* Dave et al). 2005;132:834-839
Lerda W (*see* Magnano et al). 2005;132:776-782
Lewis JE, Weaver, AL, Orvidas, LJ
(*see* Pryor et al). 2005;132:938-942
Lian TS (*see* Kupferman and Lian). 2005;132:819-822
Libanore M (*see* Aimoni et al). 2005;132:965-966 (Case rep.)
Liistro G (*see* Rombaux et al). 2005;132:816-817 (Case rep.)
Limb CJ, Francis HF, Lustig LR, Niparko JK, Jammal H. Benign positional vertigo after cochlear implantation. 2005;132:741-745
Lin H-C (*see* Hwang et al). 2005;132:924-927
Linna T-J (*see* Nikanne et al). 2005;132:287-294
Lin S, Dutra J, Keni J, Dumanian GA, Fine N, Pelzer H. Preoperative radiation therapy and its effects on outcomes in microsurgical head and neck reconstruction. 2005;132:845-848
Liu, XZ (*see* Angeli et al). 2005;132:890-895
Liu N (*see* Slattery et al). 2005;132:5-10
Liu T-C (*see* Huang et al). 2005;132:943-947
Liu W-W, Zeng Z-Y, Wu Q-L, Hou J-H, Chen Y-Y. Overexpression of MMP-2 in laryngeal squamous cell carcinoma: a potential indicator for poor prognosis. 2005;132:395-400
Lloyd KM (*see* Antonelli et al). 2005;132:523-526
Lo S-H (*see* Chang et al). 2005;132:689-693
Lotempio MM, Wang KH, Sadeghi A, Delacure MD, Juillard GF, Wang MB. Comparison of quality of life outcomes in laryngeal cancer patients following chemoradiation *vs.* total laryngectomy. 2005;132:948-953 (Review)
Low C, Young P, Webb CJ, Walshe P, Hone S, Panarese A, McCormick MS. As simple and reliable predictor for an adequate laryngeal view with rigid endoscopic laryngoscopy. 2005;132:244-246
Lowry TR, Brennan JA. *Stomaococcus mucilaginosis* infection leading to early necrotizing fasciitis. 2005;132:658-660 (Case rep.)
Lozano-Arnilla CG (*see* Perez Fernandez et al). 2005;132:671-673 (Case rep.)
Luna-Ortiz K, Navarette-Alemán JE, Granados-García M, Herrera-Gómez A. Primary parapharyngeal space tumors in a Mexican cancer center. 2005;132:587-591
Lustig LR (*see* Limb et al). 2005;132:741-745
Lustig LR (*see* Streubel and Lustig). 2005;132:735-740

M

Magnano M, Bongioannini G, Cirillo S, Regge D, Martinich L, Canale G, Lerda W, Galvagno MB, Taranto F. Virtual endoscopy of laryngeal carcinoma: Is it useful? 2005;132:776-782
Maheshwar A, Steward DL. Malignant meningioma of the parapharyngeal space: a rare case. 2005;132:144-145 (Case rep.)
Maier W (*see* Boedeker et al). 2005;132:467-470
Maio T (*see* Cimmino et al). 2005;132:295-302
Mair EA (*see* Michaelson and Mair). 2005;132:347-352
Mair EA (*see* Michaelson and Mair). 2005;132:677-680
Makiyama K, Yoshihashi H, Mogitate M, Kida A. The role of adjustment of expiratory effort in the control of vocal intensity: clinical assessment of phonatory function. 2005;132:641-646
Malaty J, Lee JC, Zhang M, Stevens G, Antonelli PJ. Hearing loss and extent of labyrinthine injury in *Pseudomonas* otitis media. 2005;132:25-29
Mamede RCM, Ricz HMA, Aguiar-Ricz LN, Mello-Filho FV. Vestibular fold flap for post-cordectomy laryngeal reconstruction. 2005;132:478-483
Maneschi P (*see* DiMartino et al). 2005;132:765-769

Mann W (*see* Gouveris et al). 2005;132:550-553
Mann WJ (*see* Gudziol et al). 2005;132:152-155 (Case rep.)
Marangos N (*see* Maurer et al). 2005;132:746-750
Maraschi B (*see* Cantarella et al). 2005;132:239-243
Marchese-Ragona R (*see* Marioni et al). 2005;132:665-666 (Case rep.)
Marienhagen J (*see* Kleinjung et al). 2005;132:566-569
Marioni G, Marchese-Ragona R, Ottaviano G, Campobasso C, Staffieri A. Parotitis due to ritodrine tocolytic treatment for preterm labor. 2005;132:665-666 (Case rep.)
Marrinan MS (*see* Fishman et al). 2005;132:906-915
Marrs CR, Sebelik ME, Hodges JM. Actinomycosis presenting as a temporal mass. 2005;132:163-164 (Case rep.)
Marshall AF, White DR, Shockley WW. Pleomorphic adenoma in the palpebral lobe of the lacrimal gland. 2005;132:141-143 (Case rep.)
Martin AD, Driscoll CLW, Wood CP, Felmlee JP. Safety evaluation of titanium middle ear protheses at 3.0 tesla. 2005;132:537-542
Martínez-Ordaz VA (*see* Lazo-Saenz et al). 2005;132:626-631
Martini A (*see* Aimoni et al). 2005;132:965-966 (Case rep.)
Martinich L (*see* Magnano et al). 2005;132:776-782
Marzo SJ (*see* Herr and Marzo). 2005;132:527-531
Matesz K (*see* Tóth et al). 2005;132:701-706
Matsuda H (*see* Ikeda et al). 2005;132:788-793
Maurer J (*see* Gouveris et al). 2005;132:550-553
Maurer J, Marangos N, Ziegler E. Reliability of cochlear implants. 2005;132:746-750
Maurer JT (*see* Stuck et al). 2005;132:132-135
Maurer JT, Verse T, Stuck BA, Hörmann K, Hein G. Palatal implants for primary snoring: short-term results of a new minimally invasive surgical technique. 2005;132:125-131
Maurizi M, Almadori G, Plaudetti G, De Corso E, Galli, J. Laser carbon dioxide cordectomy *versus* open surgery in the treatment of glottic carcinoma: Our results. 2005;132:857-861
Mazzola RF (*see* Cantarella et al). 2005;132:239-243
McCormick MS (*see* Low et al). 2005;132:244-246
Medina JE (*see* Khafif et al). 2005;132:317-321
Meeuwis CA (*see* Sewnaik et al). 2005;132:95-98
Mehta AJ, Stevens GR, Antonelli PJ. Opening plugged tympanostomy tubes: effect of inner diameter and shaft length. 2005;132:322-326
Mela GS (*see* Cimmino et al). 2005;132:295-302
Melder PC. Simplifying video endoscopy: Inexpensive analog and digital video endoscopy in otolaryngology. 2005;132:804-805
Mello-Filho FV (*see* Mamede et al). 2005;132:478-483
Meltzer EO, Hadley J, Blaiss M, Benninger M, Kimel M, Kleinman L, Dupclay L, Garcia J, Leahy M, Georges G. Development of questionnaires to measure patient preferences for intranasal corticosteroids in patients with allergic rhinitis. 2005;132:197-207
Menzel C (*see* Kovacs et al). 2005;132:570-576
Mewes T (*see* Gudziol et al). 2005;132:152-155 (Case rep.)
Michaelson, PG, Mair, EA. Selinger-assisted videotelescopic intubation (SAVI): A common sense approach to the difficult pediatric airway. 2005;132:677-680
Michaelson PG, Fowler CB, Brennan J. Tracheal paraganglioma presenting with acute airway obstruction. 2005;132:661-662 (Case rep.)
Michaelson PG, Mair EA. West Nile virus: a primer for the otolaryngologist. 2005;132:347-352
Midilli RL (*see* Kirazli et al). 2005;132:933-937
Mikó I (*see* Tóth et al). 2005;132:701-706
Militsakh O (*see* Larsen et al). 2005;132:514-516 (Case rep.)
Miller RS, Steward DL. Papillary carcinoma arising in an ectopic submental thyroid gland. 2005;132:148-149 (Case rep.)
Mitchell RB, Kelly J. Outcome of adenotonsillectomy for obstructive sleep apnea in children under 3 years. 2005;132:681-684
Mogitate M (*see* Makiyama et al). 2005;132:641-646
Monsell EM. Outcomes research and the AAO-HNS Foundation. 2005;132:169-170 (Editorial)
Monsell EM (*see* Witsell et al). 2005;132:171-179
Montague M-L, Eljamel MS, Hussain SSM. Facial nerve schwannoma presenting as conductive hearing loss. 2005;132:509-510 (Case rep.)
Moreira GA (*see* Valera et al). 2005;132:268-272
Morgado PF. A new instrument to expose the human larynx. 2005;132:251-254
Motta G (*see* Motta and Motta). 2005;132:802-803 (Clinical photo.)
Motta S, Motta G. Association between Kaposi's sarcoma and squamous cell carcinoma of larynx. 2005;132:802-803 (Clinical photo.)
Moukarbel RV (*see* Bitar et al). 2005;132:226-231
Mpenakis AA (*see* Lachanas et al). 2005;132:487-489
Müller-Busch RN (*see* Seidl et al). 2005;132:484-486
Muluk NB, Kisa Ü, Kaçmaz M, Apan A, Koç C. Efficacy of topotecan treatment on antioxidant enzymes and TBA-RS levels in submandibular glands of rabbits: and experimental study. 2005;132:136-140
Muñoz M (*see* Sastre et al). 2005;132:663-664 (Case rep.)
Muta H (*see* Sasai et al). 2005;132:685-688

N

Nageris BI (*see* Popovtzer et al). 2005;132:327-329
Nakashima T (*see* Tschopp et al). 2005;132:103-107
Naval L (*see* Sastre et al). 2005;132:663-664 (Case rep.)
Navarette-Alemán JE (*see* Luna-Ortiz et al). 2005;132:587-591
Nayak VK (*see* Bhattacharyya and Nayak). 2005;132:63-68
Netzer A (*see* Golz et al). 2005;132:495-499
Neumann HPH (*see* Boedeker et al). 2005;132:467-470
Nieves-Rentería A (*see* Lazo-Saenz et al). 2005;132:626-631
Nikanne E, Kokki H, Salo J, Linna T-J. Celecoxib and ketoprofen for pain management during tonsillectomy: a placebo-controlled clinical trial. 2005;132:287-294
Niklasson A, Dahlqvist A. Antigen challenge induces a supraglottic but not a subglottic edema in the rat larynx. 2005;132:694-700
Niparko JK (*see* Limb et al). 2005;132:741-745
Nishimura S (*see* Sakamoto et al). 2005;132:159-160 (Case rep.)
Nuyens M (*see* Tschopp et al). 2005;132:99-102
Nuyens M (*see* Zbären et al). 2005;132:387-391

O

Obeid LM (*see* Rossi et al). 2005;132:55-62
O'Dwyer NJ (*see* Coulson et al). 2005;132:543-549
Oestreicher-Kedem Y (*see* Popovtzer et al). 2005;132:327-329
Ogawa M (*see* Sasai et al). 2005;132:685-688
Ogretman B (*see* Rossi et al). 2005;132:55-62
Ögüt F (*see* Kirazli et al). 2005;132:933-937
Omori K (*see* Shinohara et al). 2005;132:963-964 (Case rep.)
Omori K (*see* Shinohara et al). 2005;132:345-346 (Case rep.)
Önerci M (*see* Yilmaz et al). 2005;132:309-316
Onishi E (*see* Penido et al). 2005;132:37-42
Ono M (*see* Ikeda et al). 2005;132:788-793
Orenstein A (*see* Talmi et al). 2005;132:598-601
Orvidas LJ (*see* Pryor et al). 2005;132:938-942
Osguthorpe JD (*see* Park et al). 2005;132:146-177 (Case rep.)
Ottaviano G (*see* Marioni et al). 2005;132:665-666 (Case rep.)
Ottenjann W (*see* Haensel et al). 2005;132:456-458
Ouyang ZM (*see* Angeli et al). 2005;132:890-895
Özdemir T (*see* Ercan et al). 2005:132;869-873
Ozguner F (*see* Yariktas et al). 2005;132:713-716

P

Pacheco M (*see* Hotchkiss et al). 2005;132:916-923
Palma JR (*see* Steward et al). 2005;132:957-959 (Case rep.)
Panarese A (*see* Low et al). 2005;132:244-246
Pang KP, Tan NG, Chia KH, Tan HM, Tseng GY. Migrating foreign body into the common carotid artery. 2005;132:667-668 (Case rep.)
Papsin BC (*see* Propst et al). 2005;132:165-166 (Clin. photo.)
Paresi RJ Jr, Shah D. Hashimoto's thyroiditis presenting as an enlarging submandibular mass in a patient with a lingual thyroid. 2005;132:806-808 (Case rep.)
Park C-S (*see* Jun et al). 2005;132:429-434
Park JW, Spiess A, Osguthorpe JD. Benign calcified mass in tongue. 2005;132:146-177 (Case rep.)
Park SK (*see* Jung and Park). 2005;132:532-536
Parrilla C (*see* Galli et al). 2005;132:717-721
Patni AH, Kartush JM. Staged resection of acoustic neuromas. 2005;132:11-19
Pau HW (*see* Sievert et al). 2005;132:451-455
Pau HW, Sievert U, Eggert S, Wild W. Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ? 2005;132:43-49
Pellizzon ACA (*see* Carvalho et al). 2005;132:862-868
Pelucchi S (*see* Aimoni et al). 2005;132:965-966 (Case rep.)
Pelzer H (*see* Lin et al). 2005;132:845-848
Peng J-P (*see* Hwang et al). 2005;132:924-927
Penido NO, Borin A, Iha LCN, Suguri VM, Onishi E, Fukuda Y, Cruz OLM. Intracranial complications of otitis media: 15 years of experience in 33 patients. 2005;132:37-42
Pérez Fernandez CA, Tagarro S, Lozano-Arnilla CG, Preciado J, Lacosta JL. Internal carotid pseudoaneurysm within a parapharyngeal infection: an infrequent complication of difficult diagnosis. 2005;132:671-673 (Case rep.)
Pettermann MB (*see* Valera et al). 2005;132:268-272
Phillips MS (*see* Rossi et al). 2005;132:55-62
Phillips SL (*see* Tucker et al). 2005;132:20-24
Pignatari SSN (*see* Valera et al). 2005;132:268-272
Pillsbury HC III (*see* Copeland et al). 2005;132:421-428
Pinkston DR (*see* Rinehart et al). 2005;132:69-74
Plaudetti G (*see* Maurizi et al). 2005;132:857-861
Pontes (*see* Carvalho et al). 2005;132:862-868
Popovtzer A, Raveh E, Bahar G, Oestreicher-Kedem Y, Feinmesser R, Nageris BI. Facial palsy associated with acute otitis media. 2005;132:327-329
Pradella-Hallinan ML (*see* Valera et al). 2005;132:268-272
Preciado J (*see* Perez Fernandez et al). 2005;132:671-673 (Case rep.)
Prieto VG (*see* Ward et al). 2005;132:86-89
Priwin C, Granström G. The bone-anchored hearing aid in children: a surgical and questionnaire follow-up study. 2005;132:559-565
Prokopakis EP (*see* Lachanas et al). 2005;132:487-489
Propst EJ, Campisi P, Papsin BC. Head and neck manifestations of Hay-Wells syndrome. 2005;132:165-166 (Clin. photo.)
Pryor SG, Lewis JE, Weaver AL, Orvidas LJ. Pediatric dermoid cysts of head and neck. 2005;132:938-942
Pucsok K (*see* Tóth et al). 2005;132:701-706

Q

Quante G, Knoedgen R, Eckel HE, Klußmann JP. Easy and safe dental protection in rigid endoscopy. 2005;132:247-248

R

Rada, R. Obstructive sleep apnea and head and neck neoplasms. 2005;132:794-799 (Review)
Rajan GP, Fischer U, Schmid S. Intractable hemorrhage after incision of a vagal paraganglioma mimicking a peritonsillar abscess. 2005;132:161-162 (Case rep.)
Ramadan HH, Sanclement JA, Thomas JG. Chronic rhinosinusitis and biofilms. 2005;132:414-417
Ramade A (*see* Ceruse P). 2005;132:812-813 (Case rep.)
Rastorguev E (*see* Gerein et al). 2005;132:392-394
Raveh E (*see* Popovtzer et al). 2005;132:327-329
Regge D (*see* Magnano et al). 2005;132:776-782
Reiter ER (*see* Goddard and Reiter). 2005;132:707-712
Remmert S (*see* Windfuhr et al). 2005;132:281-286
Remtulla RA (*see* Lee et al). 2005;132:896-900
Respler D (*see* Rosen et al). 2005;132:511-513 (Case rep.)
Ricz HMA (*see* Mamede et al). 2005;132:478-483
Ridder GJ (*see* Boedeker et al). 2005;132:467-470
Ridder GJ, Boedeker CC, Technau-Ihling K, Sander A. Cat-scratch disease: otolaryngologic manifestations and management. 2005;132:353-358
Rieder AA, Flanary V. The effect of polysomnography on pediatric adenotonsillectomy postoperative management. 2005;132:263-267
Rigante M (*see* Galli et al). 2005;132:717-721
Rincóñ-Castaneda C (*see* Lazo-Saenz et al). 2005;132:626-631
Rinehart J, Ruff T, Cheung A, Hutchinson L, Tuggle R, Pinkston DR, Keville L, Wong L. Neoadjuvant and concomitant chemotherapy and radiation therapy in patients with advanced head and neck carcinoma. 2005;132:69-74
Ringel MD (*see* Burningham et al). 2005;132:840-844
Risse JH (*see* Kovacs et al). 2005;132:570-576
Roberson, JB (*see* Stidham et al). 2005;132:883-889
Romashko AA, Stankiewicz JA. Routine histopathology in uncomplicated sinus surgery: is it necessary? 2005;132:407-412
Rombaux P, Hamoir M, Liistro G, Bertrand B. Frontal sinus tumor as first sign of adenocarcinoma of the lung. 2005;132:816-817 (Case rep.)
Rosen A, Jedynak AR, Respler D. Lipoblastoma of the neck mimicking cystic hygroma. 2005;132:511-513 (Case rep.)
Rosenfeld RM (*see* Wynn and Rosenfeld). 2005;132:823-827
Rossi MJ, Sundararaj K, Koybasi S, Phillips MS, Szulc ZM, Bielawska A, Day TA, Obeid LM, Hannun YA, Ogretman B. Inhibition of growth and telomerase activity by novel cationic ceramide analogs with high solubility in human head and neck squamous cell carcinoma cells. 2005;132:55-62
Royster E (*see* Tucker et al). 2005;132:20-24
Ruben RJ (*see* Benninger et al). 2005;132: 675-676 (Editorial)
Rubin AD, Cheng SS, Bradford CR. Laryngeal paragangliomia in a patient with multiple head and neck paragangliomas. 2005;132:520-522 (Case rep.)
Ruda JM, Hollenbeak CS, Stack BC Jr. A systematic review of the diagnosis and treatment of primary hyperparathyroidism from 1995 to 2003. 2005;132:359-372
Ruff T (*see* Rinehart et al). 2005;132:69-74
Ruth RA (*see* Tucker et al). 2005;132:20-24

S

Sadeghi A (Lomtempio et al). 2005;132:948-953 (Review)
Saito N (*see* Ikeda et al). 2005;132:788-793
Sakamoto M, Komura A, Nishimura S. Hematoserological analysis of Kimura's disease for optimal treatment. 2005;132:159-160 (Case rep.)
Sakuma Y (*see* Ikeda et al). 2005;132:788-793
Salo J (*see* Nikanne et al). 2005;132:287-294
Samadi DS (*see* Sobol et al). 2005;132:655-657 (Case rep.)
Sanclement JA (*see* Ramadan et al). 2005;132:414-417
Sander A (*see* Ridder et al). 2005;132:353-358

Saravanappa N (*see* Grainger et al). 2005:132;849-851
Sasai H, Watanabe Y, Muta H, Yoshida J, Hayashi I, Ogawa M, Kubo T. Long-term histological outcomes of injected autologous fat into human vocal folds after secondary laryngectomy. 2005; 132:685-688
Sastre J, Naval L, Muñoz M, Gamallo C, Diaz FJ. Metastatic renal cell carcinoma to the mandible. 2005;132:663-664 (Case rep.)
Sataloff RT (*see* Benninger et al). 2005;132: 675-676 (Editorial)
Sayin Ĭ (*see* Ercan et al). 2005:132;869-873
Scherr H (*see* Ernst et al). 2005;132:554-558
Schipper J (*see* Boedeker et al). 2005;132:467-470
Schirren J (*see* Gerein et al). 2005;132:392-394
Schmid S (*see* Rajan et al). 2005;132:161-162 (Case rep.)
Schramm O (*see* DiMartino et al). 2005;132:765-769
Schultz-Coulon, H-J. Three-layer repair of nasoseptal defects. 2005; 132:213-218
Schüpbach J (*see* Zbären et al). 2005;132:387-391
Sebelik ME (*see* Marrs et al). 2005;132:163-164 (Case rep.)
Sedwick JD, Graham V, Tolan CJ, Sykes JM, Terkonda RP. The full-thickness forehead flap for complex nasal defects: a preliminary study. 2005;132:381-386
Segev Y (*see* Khafif et al). 2005;132:401-406
Seidl RO (*see* Ernst et al). 2005;132:554-558
Seidl RO, Müller-Busch RN, Ernst A. The influence of tracheotomy tubes on the swallowing frequency in neurogenic dysphagia. 2005;132:484-486
Selesnick SH (*see* Thevarajah et al). 2005;132:960-962 (Case rep.)
Senior BA (*see* Copeland et al). 2005;132:421-428
Şentürk M (*see* Ketenci et al). 2005;132:341-342 (Case rep.)
Sewnaik A, van den Brink JL, Wieringa MH, Meeuwis CA, Kerrebijn JDF. Surgery for laryngeal carcinoma after radiotherapy: partial laryngectomy or toral laryngectomy for a better quality of life? 2005;132:95-98
Shah D (*see* Paresi and Shah). 2005;132:806-808 (Case rep.)
Shah RJ (*see* Labadie et al). 2005;132:435-442
Sheehy J (*see* Flint et al). 2005;132:507-508 (Case rep.)
Shimizu K (*see* Lee et al). 2005;132:755-764
Shinohara K, Hashimoto K, Yamashita M, Omori K. Schwannoma of the nasal septum removed with endoscopic surgery. 2005;132: 963-964 (Case rep.)
Shinohara K, Yamashita M, Sugimoto K, Tsuji T, Omori K. Transcatheter arterial embolization of auricular arteriovenous malformation. 2005;132:345-346 (Case rep.)
Shirouzu H (*see* Tschopp et al). 2005;132:103-107
Shockley WW (*see* Marshall et al). 2005;132:141-143 (Case rep.)
Shu S (*see* Lee et al). 2005;132:755-764
Shu Y-H (*see* Chang et al). 2005;132:689-693
Sianesi M (*see* Del Rio et al). 2005;132:584-586
Sichel J-Y (*see* Eliashar et al). 2005;132:115-118
Sievert U (*see* Pau et al). 2005;132:43-49
Sievert U, Eggert S, Pau HW. Can mobile phone emissions affect auditory functions of cochlea or brain stem? 2005;132:451-455
Simons JP, Whitaker ME, Hirsch BE. Cochlear implantation in a patient with bilateral temporal bone fractures. 2005;132:809-811 (Case rep.)
Slattery WH, Fisher LM, Iqbal Z, Liu N. Oral steroid regimens for idiopathic sudden sensorineural hearing loss. 2005;132:5-10
Smith JE, Ducic Y, Adelson R. The utility of the temporalis muscle flap for oropharyngeal, base of tongue, and nasopharyngeal reconstruction. 2005;132:373-380
Smith RB (*see* Futran et al). 2005;132:75-85
Smith RJH (*see* Benninger et al). 2005;132: 675-676 (Editorial)
So E (*see* Takasaki et al). 2005;132:669-670 (Case rep.)
Sobol SE, Samadi DS, Wetmore RF. Pediatric subglottic granular cell myoblastoma. 2005;132:655-657 (Case rep.)
Sokolowski B (*see* Hotchkiss et al). 2005;132:916-923
Solomon, PH (*see* Stidham et al). 2005;132:883-889
Sommaruga L (*see* Del Rio et al). 2005;132:584-586
Song S-W (*see* Jun et al). 2005;132:429-434
Souza de Oliveira IR (*see* Chammas et al). 2005;132:874-882
Spiess A (*see* Park et al). 2005;132:146-177 (Case rep.)
Spitzer JB (*see* Wazen et al). 2005;132:928-932
Stack BC Jr (*see* Ruda et al). 2005;132:359-372
Staffieri A (*see* Marioni et al). 2005;132:665-666 (Case rep.)
Stankiewicz JA (*see* Romashko and Stankiewicz). 2005;132:407-412
Stauffer E (*see* Tschopp et al). 2005;132:99-102
Stauffer E (*see* Zbären et al). 2005;132:387-391
Stevens GR (*see* Lee et al). 2005;132:896-900
Stevens GR (*see* Malaty et al). 2005;132:25-29
Stevens GR (*see* Mehta et al). 2005;132:322-326
Steward AE, Palma JR, Amsberry JK. Cervicofacial actinomycosis. 2005;132:957-959 (Case rep.)
Steward DL (*see* Maheshwar and Steward). 2005;132:144-145 (Case rep.)
Steward DL (*see* Miller and Steward). 2005;132:148-149 (Case rep.)
Steward DL (*see* Weaver et al). 2005;132:255-262
Steward DL, Weaver EM, Woodson BT. Multilevel temperature-controlled radiofrequency for obstructive sleep apnea: extended follow-up. 2005;132:630-635
Stewart MG (*see* Witsell et al). 2005;132:171-179
Stidham, KR, Solomon, PH, Roberson, JB. Evaluation of botulinum toxin A in treatment of tinnitus. 2005;132:883-889
Streubel, S-O, Lustig, LR. Cochlear implantation in patients with osteogenesis imperfecta. 2005;132:735-740
Strutz J (*see* Kleinjung et al). 2005;132:566-569
Stuck BA (*see* Maurer et al). 2005;132:125-131
Stuck BA, Köpke J, Hörmann K, Verse T, Eckert A, Bran G, Düber C, Maurer JT. Volumetric tissue reduction in radiofrequency surgery of the tongue base. 2005;132:132-135
Sturgis EM (*see* Ward et al). 2005;132:86-89
Su C-Y (*see* Hwang et al). 2005;132:924-927
Sugimoto K (*see* Shinohara et al). 2005;132:345-346 (Case rep.)
Suguri VM (*see* Penido et al). 2005;132:37-42
Sundararaj K (*see* Rossi et al). 2005;132:55-62
Swan IRC (*see* Kubba et al). 2005;132:647-652
Sykes JM (*see* Sedwick et al). 2005;132:381-386
Sziklai I (*see* Tóth et al). 2005;132:701-706
Szücs A (*see* Tóth et al). 2005;132:701-706
Szulc ZM (*see* Rossi et al). 2005;132:55-62

T

Tadros M (*see* Bolger et al). 2005;132:418-420
Tagarro S (*see* Perez Fernandez et al). 2005;132:671-673 (Case rep.)
Taguchi T (*see* Ikeda et al). 2005;132:788-793
Takahashi H (*see* Takasaki et al). 2005;132:669-670 (Case rep.)
Takasaki K, Enatsu K, So E, Takahashi H. Fifty-four wooden toothpicks in the nasal cavity. 2005;132:669-670 (Case rep.)
Talmi YP, Orenstein A, Wolf M, Kronenberg J. Use of mitomycin C for treatment of keloid: a preliminary report. 2005;132:598-601
Tamminen H (*see* Vahatalo et al). 2005;132:636-640
Tanaka H (*see* Lee et al). 2005;132:755-764
Tan HM (*see* Pang et al). 2005;132:667-668 (Case rep.)
Tan NG (*see* Pang et al). 2005;132:667-668 (Case rep.)
Taranto F (*see* Magnano et al). 2005;132:776-782
Tas A, Yagiz R, Yalcin O, Uzun C, Huseyinova G, Adali MK, Karasalihoglu AR. Use of mometasone furoate aqueous nasal spray in the treatment of rhinitis medicamentosa: an experimental study. 2005;132:608-612

Tawfik O (*see* Larsen et al). 2005;132:514-516 (Case rep.)
Taylor SM (*see* Cheng et al). 2005;132:150-151 (Case rep.)
Technau-Ihling K (*see* Ridder et al). 2005;132:353-358
Telischi F (*see* Angeli SI). 2005.132;890-895
Terkonda RP (*see* Sedwick et al). 2005;132:381-386
Terrell JE (*see* Witsell et al). 2005;132:171-179
Thevarajah S, Carew J, Selesnick SH. Bilateral squamous cell carcinoma of the external auditory canal. 2005;132:960-962 (Case rep.)
Thomas JG (*see* Ramadan et al). 2005;132:414-417
Todd AD (*see* Tucker et al). 2005;132:20-24
Todt I (*see* Ernst et al). 2005;132:554-558
Todt I, Basta D, Eisenschenk A, Ernst A. The "pull-back" technique for Nucleus 24 perimodiolar electrode insertion. 2005;132:751-754
Tolan CJ (*see* Sedwick et al). 2005;132:381-386
Torrealba JR, Carvalho J, Corliss R, England D. Laryngeal granulomatomous infection by *Sporothrix schenckii,* 2005;132:339-340 (Case rep.)
Tóth A, Szücs A, Harasztosi C, Matesz K, Pucsok K, Mikó I, Sziklai I. Intrinsic laryngeal muscle reinnervation with nerve-muscle pedicle. 2005;132:701-706
Tschopp L, Nuyens M, Stauffer E, Krause T, Zbären P. The value of frozen section analysis of the sentinel lymph node in clinically N0 squamous cell carcinoma of the oral cavity and oropharynx. 2005;132:99-102
Tseng C-C, Ho CY. Removal of a nasal leech: A safe and effective methods. 2005;132:814-815 (Case rep.)
Tseng F-Y (*see* Huang et al). 2005;132:943-947
Tseng GY (*see* Pang et al). 2005;132:667-668 (Case rep.)
Tsuji T (*see* Shinohara et al). 2005;132:345-346 (Case rep.)
Tsukuda M (*see* Ikeda et al). 2005;132:788-793
Tucker DA, Phillips SL, Ruth RA, Clayton WA, Royster E, Todd AD. The effect of silence on tinnitus perception. 2005;132:20-24
Tufik S (*see* Valera et al). 2005;132:268-272
Tuggle R (*see* Rinehart et al). 2005;132:69-74
Tuncer E (*see* Ketenci et al). 2005;132:341-342 (Case rep.)
Turan E (*see* Yilmaz et al). 2005;132:309-316
Turgut S (*see* Ercan et al). 2005:132;869-873

U

Ugolini D (*see* Cimmino et al). 2005;132:295-302
Umeno H, Shirouzu H, Chitose S-I, Nakashima T. Analysis of voice function following autologous fat injection for vocal fold paralysis. 2005;132:103-107
Ünlü Y (*see* Ketenci et al). 2005;132:341-342 (Case rep.)
Upadhyaya SR (*see* Kirtane et al). 2005;132:208-212
Uri N (*see* Barzilai et al). 2005;132:219-220
Uzun C (*see* Tas et al). 2005;132:608-612

V

Vähätalo K, Laaksonen J-P, Tamminen H, Aaltonen O, Happonen R-P. Effects of genioglossal muscle advancement on speech: a acoustic study of vowel sounds. 2005;132:636-640
Valenza V (*see* Galli et al). 2005;132:717-721
Valera FCP, Avelino MAG, Pettermann MB, Fujita R, Pignatari SSN, Moreira GA, Pradella-Hallinan ML, Tufik S, Weckx LLM. OSAS in children: correlation between endoscopic and polysomnographic findings. 2005;132:268-272
van den Brink JL (*see* Sewnaik et al). 2005;132:95-98
Vautrin R (*see* Ceruse P). 2005;132:812-813 (Case rep.)
Velasco-Rodríguez VM (*see* Lazo-Saenz et al). 2005;132:626-631
Velegrakis GA (*see* Lachanas et al). 2005;132:487-489
Verse T (*see* Maurer et al). 2005;132:125-131
Verse T (*see* Stuck et al). 2005;132:132-135
Virgilio GR, Hale BR. A case of mucocutaneous leishmaniasis. 2005;132:800-801 (Clinical photo.)
Voegels RL, de Melo Pádua FG. Expression of interleukins in patients with nasal polyposis. 2005;132:613-616
Volante M (*see* Galli et al). 2005;132:717-721
von Buchwald C, Larsen AS. Endoscopic surgery of inverted papillomas under image guidance: a prospective study of 42 consecutive cases at a Danish university clinic. 2005;132:602-607

W

Walker E (*see* Davis et al). 2005;132:189-196
Walker P. Imperforate submandibular duct. 2005;132:653-654 (Clin. photo.)
Wallace DI (*see* Larsen et al). 2005;132:514-516 (Case rep.)
Walshe P (*see* Low et al). 2005;132:244-246
Wang C-X (*see* Jian et al). 2005;132:90-94
Wang H-W (*see* Kao et al). 2005;132:167-168 (Clin. photo.)
Wang KH (Lomtempio et al). 2005;132:948-953 (Review)
Wang MB (Lomtempio et al). 2005;132:948-953 (Review)
Wang Z-M, Chi F-L, Dai C-F. Modified stapes prosthesis to limit postoperative vertigo. 2005;132:50-54
Ward JL, Prieto VG, Joseph A, Chevray P, Kronowitz S, Sturgis EM. Neurothekeoma. 2005;132:86-89
Watanabe Y (*see* Sasai et al). 2005;132:685-688
Wazen JJ, Ghossaini SN, Spitzer JB, Kuller M. Localization by unilateral BAHA users. 2005;132:928-932
Weaver AL (*see* Pryor et al). 2005;132:938-942
Weaver EM (*see* Steward et al). 2005;132:630-635
Weaver EM, Woodson BT, Steward DL. Polysomnography indexes are discordant with quality of life, symptoms, and reaction times in sleep apnea patients. 2005;132:255-262
Webb CJ (*see* Low et al). 2005;132:244-246
Weber PC (*see* Benninger et al). 2005;132: 675-676 (Editorial)
Weber PC (*see* Lee and Weber). 2005;132:505-506 (Case rep.)
Weber RS (*see* Benninger et al). 2005;132: 675-676 (Editorial)
Weckx LLM (*see* Valera et al). 2005;132:268-272
Welkoborsky, H-J (*see* Kruschinski and Welkoborsky). 2005;132: 967-969
Westerman LM (*see* Golz et al). 2005;132:495-499
Westerman ST (*see* Golz et al). 2005;132:495-499
Westhofen M (*see* DiMartino et al). 2005;132:765-769
Westhofen M (*see* Haensel et al). 2005;132:456-458
Wetmore RF (*see* Sobol et al). 2005;132:655-657 (Case rep.)
Weymuller EA Jr (*see* Davis et al). 2005;132:189-196
Whitaker ME (*see* Simons et al). 2005;132:809-811 (Case rep.)
White DR (*see* Marshall et al). 2005;132:141-143 (Case rep.)
Widman A (*see* Chammas et al). 2005;132:874-882
Wieringa MH (*see* Sewnaik et al). 2005;132:95-98
Wiet RJ (*see* Kim et al). 2005;132:722-726
Wilcock D (*see* Grainger et al). 2005:132;849-851
Wild W (*see* Pau et al). 2005;132:43-49
Wilson PS (*see* Grainger et al). 2005:132;849-851
Windfuhr JP, Chen YS, Remmert S. Hemorrhage following tonsillectomy and adenoidectomy in 15,218 patients. 2005;132:281-286
Witsell DL, Stewart MG, Monsell EM, Hadley JA, Terrell JE, Hannley MT, Holzer SS. The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the effectiveness of medical and surgical treatment for patients with chronic rhinosinusitis. 2005;132:171-179
Witsell DL, Stewart MG, Monsell EM, Hadley JA, Terrell JE, Yueh B, Rosenfeld RM, Hannley MT, Holzer SS. The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the outcomes of tympanostomy tubes for children with otitis media. 2005;132:180-188

Wolf M (*see* Talmi et al). 2005;132:598-601
Wolf SR (*see* Kleinjung et al). 2005;132:566-569
Wong BJF (*see* Armstrong et al). 2005;132:471-477
Wong L (*see* Rinehart et al). 2005;132:69-74
Wood CP (*see* Martin et al). 2005;132:537-542
Woodson BT (*see* Steward et al). 2005;132:630-635
Woodson BT (*see* Weaver et al). 2005;132:255-262
Wu Q-L (*see* Liu et al). 2005;132:395-400
Wyatt ME, Hartley BEJ. Laryngotracheal reconstruction in congenital laryngeal webs and atresias. 2005;132:232-238
Wynn R, Rosenfeld RM.. Satisfaction and gender issues in otolaryngology residency. 2005;132:823-827

Y

Yagisawa M (*see* Ikeda et al). 2005;132:788-793
Yagiz R (*see* Tas et al). 2005;132:608-612
Yalcin O (*see* Tas et al). 2005;132:608-612
Yamashita M (*see* Shinohara et al). 2005;132:963-964 (Case rep.)
Yamashita M (*see* Shinohara et al). 2005;132:345-346 (Case rep.)
Yamashita T (*see* Iwai and Yamashita). 2005;132:577-580
Yamasoba T (*see* Imauchi et al). 2005;132:156-158 (Case rep.)
Yan D (*see* Angeli SI). 2005;132:890-895
Yang C-C, Chen SH. Impact of topical anesthesia on acoustic characteristics of voice during laryngeal telescopic examination. 2005;132:110-114
Yariktas M, Doner F, Ozguner F, Gokalp O, Dogru H, Delibas N. Nitric oxide level in the nasal and sinus mucosa after exposure to electromagnetic field. 2005;132:713-716
Yilmaz T, Gedikoglu G, Çelik A, Önerci M, Turan E. Prognostic significance of Langerhans cell infiltration of cancer of the larynx. 2005;132:309-316
Yoshida J (*see* Sasai et al). 2005;132:685-688
Yoshida T (*see* Ikeda et al). 2005;132:788-793
Yoshihashi H (*see* Makiyama et al). 2005;132:641-646
Young ED (*see* Benninger et al). 2005;132: 675-676 (Editorial)
Young P (*see* Low et al). 2005;132:244-246
Younis RT (*see* Collins et al). 2005;132:954-956 (Case rep.)
Yueh B (*see* Davis et al). 2005;132:189-196

Z

Zalzal GH (*see* Bitar et al). 2005;132:226-231
Zbären P (*see* Tschopp et al). 2005;132:99-102
Zbären P, Schüpbach J, Nuyens M, Stauffer E. Elective neck dissection versus observation in primary parotid carcinoma. 2005;132:387-391
Zeng Z-Y (*see* Liu et al). 2005;132:395-400
Zenk J (*see* Gottwald et al). 2005;132:330-333
Zhang M (*see* Lee et al). 2005;132:896-900
Zhang M (*see* Malaty et al). 2005;132:25-29
Ziegler E (*see* Maurer et al). 2005;132:746-750

Subject Index*

A

Abscess
Ultrasound-guided closed drainage for abscesses of the head and neck (Chang et al). 2005;132:119-124

Abscess, peritonsillar. *see* **Peritonsillar abscess**

Actinomycosis
Actinomycosis presenting as a temporal mass (Marrs et al). 2005;132:163-164 (Case rep.)

Actinomycosis, cervicofacial
Cervicofacial actinomycosis (Steward et al). 2005;132:957-959 (Case rep.)

Adenocarcinoma
Frontal sinus tumor as first sign of adenocarcinoma of the lung (Rombaux et al). 2005;132:816-817 (Case rep.)

Adenoidectomy
The effect of polysomnography on pediatric adenotonsillectomy postoperative management (Rieder and Flanary). 2005;132:263-267
Hemorrhage following tonsillectomy and adenoidectomy in 15,218 patients (Windfuhr et al). 2005;132:281-286

Adenoids
Outcome of adenotonsillectomy for obstructive sleep apnea in children under 3 years (Mitchell and Kelly). 2005;132:681-684

Adenolymphoma
Local excision procedure for Warthin's tumor of the parotid gland (Iwai and Yamashita). 2005;132:577-580

Adenoma
A systematic review of the diagnosis and treatment of primary hyperparathyroidism from 1995 to 2003 (Ruda et al). 2005;132:359-372

Adenoma, pleomorphic
Pleomorphic adenoma in the palpebral lobe of the lacrimal gland (Marshall et al). 2005;132:141-143 (Case rep.)

Adrenal cortex hormones
Development of questionnaires to measure patient preferences for intranasal corticosteroids in patients with allergic rhinitis (Meltzer et al). 2005;132:197-207
Management of congenital subglottic hemangioma: trends and success over the past 17 years (Bitar et al). 2005;132:226-231

African Americans. *see* **Blacks**

Aging
The analysis of maxillary sinus aeration according to aging process; volume assessment by 3-dimensional reconstruction by high-resolution CT scanning (Jun et al). 2005;132:429-434

Airway obstruction
Histoplasmosis presenting as upper airway obstruction (Larsen et al). 2005;132:514-516 (Case rep.)
Postoperative airway obstruction: a complication of a previously undiagnosed hypothyroidism (Benfari and de Vincentiis). 2005;132:343-344 (Case rep.)
Tracheal paraganglioma presenting with acute airway obstruction (Michaelson et al). 2005;132:661-662 (Case rep.)

American Academy of Otolaryngology-Head and Neck Surgery Foundation
outcomes research and the AAO-HNS Foundation (Monsell). 2005;132:169-170 (Editorial)

Amyotrophic lateral sclerosis
Otolaryngologic presentations of amyotrophic lateral sclerosis (Chen and Garrett). 2005;132:500-504

Anemia, sickle cell
Extramedullary hematopoiesis of the paranasal sinuses in sickle cell disease (Collins et al). 2005;132:954-956 (Case rep.)

Anesthesia
Impact of topical anesthesia on acoustic characteristics of voice during laryngeal telescopic examination (Yang and Chen). 2005;132:110-114

Aneurysm, false
Internal carotid pseudoaneurysm within a parapharyngeal infection: an infrequent complication of difficult diagnosis (Pérez Fernández et al). 2005;132:671-673 (Case rep.)

Angiolymphoid hyperplasia with eosinophilia
Hematoserological analysis of Kimura's disease for optimal treatment (Sakamoto et al). 2005;132:159-160 (Case rep.)

Ankyloblepharon
Head and neck manifestations of Hay-Wells syndrome (Propst et al). 2005;132:165-166 (Clin. photo.)

Antibiotics
Preoperative antibiotic and steroid therapy and hearing loss caused by semicircular canal transection in pseudomonas otitis media (Lee et al). 2005;132:896-900

Antigens
Antigen challenge induces a supraglottic but not a subglottic edema in the rat larynx (Niklasson and Dahlqvist). 2005;132:694-700

Antioxidant enzymes
Efficacy of topotecan treatment on antioxidant enzymes and TBA-RS levels in submandibular glands of rabbits: and experimental study (Muluk et al). 2005;132:136-140

Anxiety
Psychiatric distress amplifies symptoms after surgery for chronic rhinosinusitis (Davis et al). 2005;132:189-196

Arteriovenous malformations
Transcatheter arterial embolization of auricular arteriovenous malformation (Shinohara et al). 2005;132:345-346 (Case rep.)

Asia, Southeastern
Adult acute epiglottis: Experiences in a Taiwanese setting (Chang et al). 2005;132:689-693

Atrophy
Acquired atrophy of the long process of the incus (Imauchi et al). 2005;132:156-158 (Case rep.)

Auditory canal, external
Bilateral squamous cell carcinoma of the external auditory canal (Thevarajah et al). 2005;132:960-962 (Case rep.)

Auditory perception
Can mobile phone emissions affect auditory functions of cochlea or brain stem? (Sievert et al). 2005;132:451-455

B

Bacterial infections
Bacterial meningitis complicating suppurative otitis media and sinusitis (Aimoni et al). 2005;132:965-966 (Case rep.)
Cat-scratch disease: otolaryngologic manifestations and management (Ridder et al). 2005;132:353-358
Chronic rhinosinusitis and biofilms (Ramadan et al). 2005;132:414-417

*January, pp. 1-168; February, pp. 169-346; March, pp. 347-522; April, pp. 523-674; May, pp. 675-818; June, pp. 819-996.

Bartonella henselae
Cat-scratch disease: otolaryngologic manifestations and management (Ridder et al). 2005;132:353-358
Bibliometrics
Trends in otolaryngology research during the period 1995-2000: a bibliometric approach (Cimmino et al). 2005;132:295-302
Biofilms
Chronic rhinosinusitis and biofilms (Ramadan et al). 2005;132:414-417
Blacks
The effect of silence on tinnitus perception (Tucker et al). 2005;132:20-24
Blood supply
Evaluation of tumor oxygenation by color duplex sonography: A new approach (DiMartino et al). 2005;132:765-769
Bone cements
Use of Mimix hydroxyapatite bone cement for difficult ossicular reconstruction (Goebel and Jacob). 2005;132:727-734
Bone morphogenetic proteins
Bone regeneration in the rat mandible with bone morphogenetic protein-2: a comparison of two carriers (Arosarena and Collins). 2005;132:592-597
Bone regeneration
Bone regeneration in the rat mandible with bone morphogenetic protein-2: a comparison of two carriers (Arosarena and Collins). 2005;132:592-597
Bone wax
Endoscopic management of cerebrospinal fluid leak associated with the use of bone wax in skull-base surgery (Bolger et al). 2005;132:418-420
Botulinum toxin type A
Evaluation of botulinum toxin A in treatment of tinnitus (Stidham et al). 2005;132:883-889
Brain stem
Can mobile phone emissions affect auditory functions of cochlea or brain stem? (Sievert et al). 2005;132:451-455
Bronchial provocation tests
Antigen challenge induces a supraglottic but not a subglottic edema in the rat larynx (Niklasson and Dahlqvist). 2005;132:694-700

C

Calcinosis
Benign calcified mass in tongue (Park et al). 2005;132:146-177 (Case rep.)
Caldwell-Luc approach
Indications for the Caldwell-Luc approach in the endoscopic era (Barzilai et al). 2005;132:219-220
Carbon dioxide
Management of congenital subglottic hemangioma: trends and success over the past 17 years (Bitar et al). 2005;132:226-231
Simultaneous bilateral posterior cordectomy in bilateral vocal fold paralysis (Khalifa). 2005;132:249-250
Carcinoma
Four cases of simultaneous triple primary cancers of the hypopharynx, esophagus, and stomach (Ikeda et al). 2005;132:788-793
Has survival improved for nasopharyngeal carcinoma in the United States? (Lee and Ko). 2005;132:303-308
A histopathological study of thyroarytenoid muscle invasion in early (T1) glottic carcinoma (Kocatürk et al). 2005;132:581-583
Surgery for laryngeal carcinoma after radiotherapy: partial laryngectomy or total laryngectomy for a better quality of life? (Sewnaik et al). 2005;132:95-98
Carcinoma, Merkel cell
Laryngeal sporotrichosis mimicking Merkel cell carcinoma recurrence (Henry et al). 2005;132:336-337 (Case rep.)
Carcinoma, papillary
Papillary and follicular variant of papillary carcinoma of the thyroid: Initial presentation and response to therapy (Burningham et al). 2005;132:840-844
Papillary carcinoma arising in an ectopic submental thyroid gland (Miller and Steward). 2005;132:148-149 (Case rep.)
Carcinoma, renal cell
Metastatic renal cell carcinoma to the mandible (Sastre et al). 2005;132:663-664 (Case rep.)
Carcinoma, squamous cell
Association between Kaposi's sarcoma and squamous cell carcinoma of larynx (Motta and Motta). 2005;132:802-803 (Clin. photo.)
Bilateral squamous cell carcinoma of the external auditory canal (Thevarajah et al). 2005;132:960-962 (Case rep.)
Curcumin: a new radio-sensitizer of squamous cell carcinoma cells (Khafif et al). 2005;132:317-321
Elective neck dissection *versus* observation in primary parotid carcinoma (Zbaren et al). 2005;132:387-391
Inhibition of growth and telomerase activity by novel cationic ceramide analogs with high solubility in human head and neck squamous cell carcinoma cells (Rossi et al). 2005;132:55-62
Neoadjuvant and concomitant chemotherapy and radiation therapy in patients with advanced head and neck carcinoma (Rinehart et al). 2005;132:69-74
Overexpression of MMP-2 in laryngeal squamous cell carcinoma: a potential indicator for poor prognosis (Liu et al). 2005;132:395-400
Pattern of regional metastases from cutaneous squamous cell carcinoma of head and neck (Barzilai et al). 2005;132:852-856
Survival outcomes for second primary head and neck cancer: matched analysis (Bhattacharyya and Nayak). 2005;132:63-68
Treatment results on advanced neck metastasis (N3) from head and neck squamous carcinoma (Carvalho et al). 2005;132:862-868
The value of frozen section analysis of the sentinel lymph node in clinically N0 squamous cell carcinoma of the oral cavity and oropharynx (Tschopp et al). 2005;132:99-102
Carotid artery, common
Migrating foreign body into the common carotid artery (Pang et al). 2005;132:667-668 (Case rep.)
Carotid artery, internal
Internal carotid pseudoaneurysm within a parapharyngeal infection: an infrequent complication of difficult diagnosis (Pérez Fernández et al). 2005;132:671-673 (Case rep.)
Case reports
case reports. 2005;132:141-164. 2005;132:334-346. 2005;132:505-522. 2005;132:655-673. 2005;132:806-815. 2005;132:954-969
Cat-scratch disease
Cat-scratch disease: otolaryngologic manifestations and management (Ridder et al). 2005;132:353-358
Celecoxib
Celecoxib and ketoprofen for pain management during tonsillectomy: a placebo-controlled clinical trial (Nikanne et al). 2005;132:287-294

Cell fusion
Tumor-dendritic cell fusion as a basis for cancer immunotherapy (Lee et al). 2005;132:755-764

Cellular phone
Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ? (Pau et al). 2005;132:43-49
Can mobile phone emissions affect auditory functions of cochlea or brain stem? (Sievert et al). 2005;132:451-455

Central nervous system
Intracranial complications of otitis media: 15 years of experience in 33 patients (Penido et al). 2005;132:37-42

Ceramides
Inhibition of growth and telomerase activity by novel cationic ceramide analogs with high solubility in human head and neck squamous cell carcinoma cells (Rossi et al). 2005;132:55-62

Cerebellopontine angle
Melanoma metastasis masquerading as bilateral neuromas (Lee and Weber). 2005;132:505-506 (Case rep.)

Cerebrospinal fluid
Endoscopic management of cerebrospinal fluid leak associated with the use of bone wax in skull-base surgery (Bolger et al). 2005;132:418-420

Cerebrospinal fluid otorrhea
Gastric reflux is uncommon in acute post-tympanostomy otorrhea (Antonelli et al). 2005;132:523-526

Cerebrospinal fluid rhinorrhea
Endoscopic CSF rhinorrhea closure: our experience in 267 cases (Kirtane et al). 2005;132:208-212

Chemotherapy, adjuvant
Comparison of quality of life outcomes in laryngeal cancer patients following chemoradiation *vs.* total laryngectomy (Lotempio et al). 2005;132:948-953 (Review)

Child
The bone-anchored hearing aid in children: a surgical and questionnaire follow-up study (Priwin and Granström). 2005;132:559-565
The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the outcomes of tympanostomy tubes for children with otitis media (Witsell et al). 2005;132:180-188
The effect of polysomnography on pediatric adenotonsillectomy postoperative management (Rieder and Flanary). 2005;132:263-267
Long-term results of cochlear implantation in children (Haensel et al). 2005;132:456-458
Measuring quality of life in preschool children with sore throats and otitis media using the TAPQOL questionnaire (Kubba et al). 2005;132:647-652
OSAS in children: correlation between endoscopic and polysomnographic findings (Valera et al). 2005;132:268-272
Outcome of adenotonsillectomy for obstructive sleep apnea in children under 3 years (Mitchell and Kelly). 2005;132:681-684
Pediatric dermoid cysts of head and neck (Pryor et al). 2005;132:938-942
Pediatric subglottic granular cell myoblastoma (Sobol et al). 2005;132:655-657 (Case rep.)
Randomized controlled trial of Coblation *versus* electrocautery tonsillectomy (Chang). 2005;132:273-280
Reading performance in children with otitis media (Golz et al). 2005;132:495-499
Removal of a nasal leech: A safe and effective methods (Tseng and Ho). 2005;132:814-815 (Case rep.)
Selinger-assisted videotelescopic intubation (SAVI): A common sense approach to the difficult pediatric airway (Michaelson and Mair). 2005;132:677-680

Choristoma
Papillary carcinoma arising in an ectopic submental thyroid gland (Miller and Steward). 2005;132:148-149 (Case rep.)

Cleft lip
Head and neck manifestations of Hay-Wells syndrome (Propst et al). 2005;132:165-166 (Clin. photo.)

Cleft palate
Head and neck manifestations of Hay-Wells syndrome (Propst et al). 2005;132:165-166 (Clin. photo.)

Clinical photographs
clinical photographs. 2005;132:165-168. 2005;132:653-654. 2005;132:800-803 (Clin. photo.). 2005;132:967-969 (Clin. photo.)

Coblation
Randomized controlled trial of Coblation *versus* electrocautery tonsillectomy (Chang). 2005;132:273-280

Cochlea
Can mobile phone emissions affect auditory functions of cochlea or brain stem? (Sievert et al). 2005;132:451-455

Cochlear implantation
Benign positional vertigo after cochlear implantation (Limb et al). 2005;132:741-745
Cochlear implantation in a patient with bilateral temporal bone fractures (Simons et al). 2005;132:809-811 (Case rep.)
Cochlear implantation in patients with osteogenesis imperfecta (Streubel and Lustig). 2005;132:735-740
Long-term results of cochlear implantation in children (Haensel et al). 2005;132:456-458
The "pull-back" technique for Nucleus 24 perimodiolar electrode insertion (Todt et al). 2005;132:751-754
Reliability of cochlear implants (Maurer et al). 2005;132:746-750

Codes of ethics
Consortium of otolaryngology-head and neck surgery journals to collaborate in maintenance of high ethical standards (Benninger et al). 2005;132: 675-676 (Editorial)

Communicable diseases
cat-scratch disease: otolaryngologic manifestations and management (Ridder et al). 2005;132:353-358
West Nile virus: a primer for the otolaryngologist (Michaelson and Mair). 2005;132:347-352

Computer-aided surgery. *see* **Surgery, computer-assisted**

Cooperative Outcomes Group for ENT (COG*ENT)
The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the effectiveness of medical and surgical treatment for patients with chronic rhinosinusitis (Witsell et al). 2005;132:171-179
The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the outcomes of tympanostomy tubes for children with otitis media (Witsell et al). 2005;132:180-188
Outcomes research and the AAO-HNS Foundation (Monsell). 2005;132:169-170 (Editorial)

Cordectomy
Simultaneous bilateral posterior cordectomy in bilateral vocal fold paralysis (Khalifa). 2005;132:249-250
Vestibular fold flap for post-cordectomy laryngeal reconstruction (Mamede et al). 2005;132:478-483

Corticosteroids. *see* **Adrenal cortex hormones**

Cost of illness
Inpatient management of epistaxis: Outcomes and cost (Goddard and Reiter). 2005;132:707-712

Craniotomy
Endoscopic management of cerebrospinal fluid leak associated with the use of bone wax in skull-base surgery (Bolger et al). 2005;132:418-420

Cricoid cartilage
Oncologic and functional results of supracricoid partial laryngectomy and cricohyoidopexy (Akbas and Demireller). 2005;132:783-787

Curcumin
Curcumin: a new radio-sensitizer of squamous cell carcinoma cells (Khafif et al). 2005;132:317-321

D

Deglutition
The influence of tracheotomy tubes on the swallowing frequency in neurogenic dysphagia (Seidl et al). 2005;132:484-486

Deglutition disorders
The influence of tracheotomy tubes on the swallowing frequency in neurogenic dysphagia (Seidl et al). 2005;132:484-486

Dendrites
Tumor-dendritic cell fusion as a basis for cancer immunotherapy (Lee et al). 2005;132:755-764

Depression
Psychiatric distress amplifies symptoms after surgery for chronic rhinosinusitis (Davis et al). 2005;132:189-196

Dermoid cyst
Pediatric dermoid cysts of head and neck (Pryor et al). 2005;132:938-942

Dexamethasone
Intratympanic dexamethasone for profound idiopathic sudden sensorineural hearing loss (Battista). 2005;132:902-905

Diabetes mellitus
Deep neck infection in diabetic patients: Comparison of clinical picture and outcomes with nondiabetic patients (Huang et al). 2005;132:943-947

Diabetic complications
Deep neck infection in diabetic patients: Comparison of clinical picture and outcomes with nondiabetic patients (Huang et al). 2005;132:943-947

Diagnosis
Etiologic diagnosis of sensorineural hearing loss in adults (Angeli et al). 2005;132:890-895
Oropharyngoesophageal scintigraphy in the diagnostic algorithm of laryngopharyngeal reflux disease: A useful exam? (Galli et al). 2005;132:717-721
Trends in the diagnosis and the management of Meniere's disease: Results of a survey (Kim et al). 2005;132:722-726

Distortion products of otoacoustic emissions (DPOAE)-grams
DPOAE-grams in patients with acute tinnitus (Gouveris et al). 2005;132:550-553

Drug administration routes
Intratympanic dexamethasone for profound idiopathic sudden sensorineural hearing loss (Battista). 2005;132:902-905

Drug therapy
Neoadjuvant and concomitant chemotherapy and radiation therapy in patients with advanced head and neck carcinoma (Rinehart et al). 2005;132:69-74

Dysphagia. *see* **Deglutition disorders**

E

Ear ossicles
Use of Mimix hydroxyapatite bone cement for difficult ossicular reconstruction (Goebel and Jacob). 2005;132:727-734

Ectodermal dysplasia
Head and neck manifestations of Hay-Wells syndrome (Propst et al). 2005;132:165-166 (Clin. photo.)

Ectopic tissue. *see* **Choristoma**

Edema
Antigen challenge induces a supraglottic but not a subglottic edema in the rat larynx (Niklasson and Dahlqvist). 2005;132:694-700
Postoperative airway obstruction: a complication of a previously undiagnosed hypothyroidism (Benfari and de Vincentiis). 2005;132:343-344 (Case rep.)

Editorials
Consortium of otolaryngology-head and neck surgery journals to collaborate in maintenance of high ethical standards (Benninger et al). 2005;132: 675-676
Outcomes research and the AAO-HNS Foundation (Monsell). 2005;132:169-170

Education, medical, graduate
Implementation of duty hour standards in otolaryngology-head and neck surgery residency training (Kupferman and Lian). 2005;132:819-822
Satisfaction and gender issues in otolaryngology residency (Wynn and Rosenfeld). 2005;132:823-827

Electrocoagulation
Randomized controlled trial of Coblation *versus* electrocautery tonsillectomy (Chang). 2005;132:273-280

Electrodes
The "pull-back" technique for Nucleus 24 perimodiolar electrode insertion (Todt et al). 2005;132:751-754

Electromagnetic fields
Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ? (Pau et al). 2005;132:43-49
Can mobile phone emissions affect auditory functions of cochlea or brain stem? (Sievert et al). 2005;132:451-455
Nitric oxide level in the nasal and sinus mucosa after exposure to electromagnetic field (Yariktas et al). 2005;132:713-716

Embolization, therapeutic
Transcatheter arterial embolization of auricular arteriovenous malformation (Shinohara et al). 2005;132:345-346 (Case rep.)

Endoscopy
Easy and safe dental protection in rigid endoscopy (Quante et al). 2005;132:247-248
Endoscopic CSF rhinorrhea closure: our experience in 267 cases (Kirtane et al). 2005;132:208-212
Endoscopic management of cerebrospinal fluid leak associated with the use of bone wax in skull-base surgery (Bolger et al). 2005;132:418-420
Endoscopic surgery of inverted papillomas under image guidance: a prospective study of 42 consecutive cases at a Danish university clinic (von Buchwald and Larsen). 2005;132:602-607
Indications for the Caldwell-Luc approach in the endoscopic era (Barzilai et al). 2005;132:219-220
OSAS in children: correlation between endoscopic and polysomnographic findings (Valera et al). 2005;132:268-272
Routine histopathology in uncomplicated sinus surgery: is it necessary? (Romashko and Stankiewicz). 2005;132:407-412
As simple and reliable predictor for an adequate laryngeal view with rigid endoscopic laryngoscopy (Low et al). 2005;132:244-246

Simplifying video endoscopy: Inexpensive analog and digital video endoscopy in otolaryngology (Melder). 2005;132:804-805
Uncommon anatomic variations in patients with chronic paranasal sinusitis (Chao). 2005;132:221-225
Virtual endoscopy of laryngeal carcinoma: Is it useful? (Magnano et al). 2005;132:776-782

Endoscopy, surgical
Schwannoma of the nasal septum removed with endoscopic surgery (Shinohara et al). 2005;132:963-964 (Case rep.)
Tissue model and preliminary analysis of microdebriders used in functional endoscopic sinus surgery (Dave et al). 2005;132:834-839

Eosinophilia
Prognostic significance of stromal eosinophilic infiltration in cancer of the larynx. (Ercan et al). 2005;132:869-873

Epiglottis
Adult acute epiglottis: Experiences in a Taiwanese setting (Chang et al). 2005;132:689-693

Epistaxis
Inpatient management of epistaxis: Outcomes and cost (Goddard and Reiter). 2005;132:707-712
Rapid Rhino: a new pneumatic nasal tamponade for posterior epistaxis (Gudziol et al). 2005;132:152-155 (Case rep.)

Equipment, surgical
Tissue model and preliminary analysis of microdebriders used in functional endoscopic sinus surgery (Dave et al). 2005;132:834-839

Esophagus
Four cases of simultaneous triple primary cancers of the hypopharynx, esophagus, and stomach (Ikeda et al). 2005;132:788-793

Ethmoid sinus
Ethmoid schwannoma (Gillman and Bryson). 2005;132:334-335 (Case rep.)

Eustachian tube
Eustachian tube dysfunction in allergic rhinitis (Lazo-Sáenz et al). 2005;132:626-631

Exhalation
The role of adjustment of expiratory effort in the control of vocal intensity: clinical assessment of phonatory function (Makiyama et al). 2005;132:641-646

F

Facial injuries
Definitive management of severe facial trauma utilizing free tissue transfer (Futran et al). 2005;132:75-85

Facial nerve
Facial nerve schwannoma presenting as conductive hearing loss (Montague et al). 2005;132:509-510 (Case rep.)
Reliability of the "Sydney," "Sunnybrook," and "House Brackmann" facial grading systems to assess voluntary movement and synkinesis after facial nerve paralysis (Coulson et al). 2005;132:543-549
Staged resection of acoustic neuromas (Patni and Kartush). 2005;132:11-19

Facial paralysis
Facial palsy associated with acute otitis media (Popovtzer et al). 2005;132:327-329

Fasciitis, necrotizing
Stomaococcus mucilaginosis infection leading to early necrotizing fasciitis (Lowry and Brennan). 2005;132:658-660 (Case rep.)

Fats
Analysis of voice function following autologous fat injection for vocal fold paralysis (Umeno et al). 2005;132:103-107
Vocal fold augmentation by autologous fat injection with lipostructure procedure (Cantarella et al). 2005;132:239-243

Foreign bodies
Fifty-four wooden toothpicks in the nasal cavity (Takasaki et al). 2005;132:669-670 (Case rep.)
Migrating foreign body into the common carotid artery (Pang et al). 2005;132:667-668 (Case rep.)

Fractures
Cochlear implantation in a patient with bilateral temporal bone fractures (Simons et al). 2005;132:809-811 (Case rep.)

Free radicals
Efficacy of topotecan treatment on antioxidant enzymes and TBA-RS levels in submandibular glands of rabbits: and experimental study (Muluk et al). 2005;132:136-140

Frontal sinus
Frontal sinus tumor as first sign of adenocarcinoma of the lung (Rombaux et al). 2005;132:816-817 (Case rep.)

Frozen sections
The value of frozen section analysis of the sentinel lymph node in clinically N0 squamous cell carcinoma of the oral cavity and oropharynx (Tschopp et al). 2005;132:99-102

Fungi
Actinomycosis presenting as a temporal mass (Marrs et al). 2005;132:163-164 (Case rep.)
cervicofacial actinomycosis (Steward et al). 2005;132:957-959 (Case rep.)
Histoplasmosis presenting as upper airway obstruction (Larsen et al). 2005;132:514-516 (Case rep.)
Indolent mucormycosis of the sphenoid sinus (Ketenci et al). 2005;132:341-342 (Case rep.)
Internal carotid pseudoaneurysm within a parapharyngeal infection: an infrequent complication of difficult diagnosis (Pérez Fernández et al). 2005;132:671-673 (Case rep.)
Laryngeal granulomatomous infection by *Sporothrix schenckii* (Torrealba et al). 2005;132:339-340 (Case rep.)
Laryngeal sporotrichosis mimicking Merkel cell carcinoma recurrence (Henry et al). 2005;132:336-337 (Case rep.)

G

Gastroesophageal reflux
Gastric reflux is uncommon in acute post-tympanostomy otorrhea (Antonelli et al). 2005;132:523-526

Gelatinase A
Overexpression of MMP-2 in laryngeal squamous cell carcinoma: a potential indicator for poor prognosis (Liu et al). 2005;132:395-400

Gender issues
Satisfaction and gender issues in otolaryngology residency (Wynn and Rosenfeld). 2005;132:823-827

Genioglossal muscle advancement
Effects of genioglossal muscle advancement on speech: a acoustic study of vowel sounds (Vähätalo et al). 2005;132:636-640

Gentamicins
Surgical management of Meniere's disease in the era of gentamicin (Kaylie et al). 2005;132:443-450

Glottis
Antigen challenge induces a supraglottic but not a subglottic edema in the rat larynx (Niklasson and Dahlqvist). 2005;132:694-700

A histopathological study of thyroarytenoid muscle invasion in early (T1) glottic carcinoma (Kocatürk et al). 2005;132:581-583

Goiter

The surgical approach to retrosternal goiters: The role of computerized tomography (Grainger et al). 2005;132:849-851

Grafting, tissue. *see* **Tissue transplantation**

Granular cell tumor

Pediatric subglottic granular cell myoblastoma (Sobol et al). 2005;132:655-657 (Case rep.)

Granuloma

Laryngeal granulomatomous infection by *Sporothrix schenckii* (Torrealba et al). 2005;132:339-340 (Case rep.)

Granulomatomous, lymphomatoid

Tuberculosis of the larynx associated with orofacial granulomatosis in childhood (Kruschinski and Welkoborsky). 2005;132:967-969 (Clin. photo.)

H

Hand tremor

A novel laryngoscope instrument stabilizer for operative microlaryngoscopy (Armstrong et al). 2005;132:471-477

Hashimoto's disease

Hashimoto's thyroiditis presenting as an enlarging submandibular mass in a patient with a lingual thyroid (Paresi and Shah). 2005;132:806-808 (Case rep.)

Hay-Wells syndrome

Head and neck manifestations of Hay-Wells syndrome (Propst et al). 2005;132:165-166 (Clin. photo.)

Head

Pediatric dermoid cysts of head and neck (Pryor et al). 2005;132:938-942

Head and neck neoplasms

Elective neck dissection *versus* observation in primary parotid carcinoma (Zbaren et al). 2005;132:387-391

Endoscopic surgery of inverted papillomas under image guidance: a prospective study of 42 consecutive cases at a Danish university clinic (von Buchwald and Larsen). 2005;132:602-607

Focal myositis of the sternocleidomastoid muscle (Cheng et al). 2005;132:150-151 (Case rep.)

Inhibition of growth and telomerase activity by novel cationic ceramide analogs with high solubility in human head and neck squamous cell carcinoma cells (Rossi et al). 2005;132:55-62

Lipoblastoma of the neck mimicking cystic hygroma (Rosen et al). 2005;132:511-513 (Case rep.)

Neoadjuvant and concomitant chemotherapy and radiation therapy in patients with advanced head and neck carcinoma (Rinehart et al). 2005;132:69-74

Neurothekeoma (Ward et al). 2005;132:86-89

Obstructive sleep apnea and head and neck neoplasms (Rada). 2005;132:794-799 (Review)

Pattern of regional metastases from cutaneous squamous cell carcinoma of head and neck (Barzilai et al). 2005;132:852-856

Sentinel lymph node biopsy as staging tool in a multimodality treatment approach to cancer of the oral cavity and the oropharynx (Kovács et al). 2005;132:570-576

Surgical management of parapharyngeal space tumors: a 10-year review (Khafif et al). 2005;132:401-406

Survival outcomes for second primary head and neck cancer: matched analysis (Bhattacharyya and Nayak). 2005;132:63-68

Treatment results on advanced neck metastasis (N3) from head and neck squamous carcinoma (Carvalho et al). 2005;132:862-868

Head injuries, closed

management of posttraumatic vertigo (Ernst et al). 2005;132:554-558

Hearing aid

The bone-anchored hearing aid in children: a surgical and questionnaire follow-up study (Priwin and Granström). 2005;132:559-565

Hearing loss, conductive

Acquired atrophy of the long process of the incus (Imauchi et al). 2005;132:156-158 (Case rep.)

Facial nerve schwannoma presenting as conductive hearing loss (Montague et al). 2005;132:509-510 (Case rep.)

Hearing loss, sensorineural

Etiologic diagnosis of sensorineural hearing loss in adults (Angeli et al). 2005;132:890-895

Hearing loss and extent of labyrinthine injury in *Pseudomonas* otitis media (Malaty et al). 2005;132:25-29

Intratympanic dexamethasone for profound idiopathic sudden sensorineural hearing loss (Battista). 2005;132:902-905

Intratympanic steroid perfusion for refractory sensorineural hearing loss (Herr and Marzo). 2005;132:527-531

Localization by unilateral BAHA users (Wazen et al). 2005;132:928-932

Long-term results of cochlear implantation in children (Haensel et al). 2005;132:456-458

Oral steroid regimens for idiopathic sudden sensorineural hearing loss (Slattery et al). 2005;132:5-10

Hearing loss, sudden

Intratympanic dexamethasone for profound idiopathic sudden sensorineural hearing loss (Battista). 2005;132:902-905

Preoperative antibiotic and steroid therapy and hearing loss caused by semicircular canal transection in pseudomonas otitis media (Lee et al). 2005;132:896-900

Hearing tests

Hearing results after primary cartilage tympanoplasty with island technique (Kirazli et al). 2005;132:933-937

Hemangioma

Management of congenital subglottic hemangioma: trends and success over the past 17 years (Bitar et al). 2005;132:226-231

Hematopoiesis, extramedullary

Extramedullary hematopoiesis of the paranasal sinuses in sickle cell disease (Collins et al). 2005;132:954-956 (Case rep.)

Hemoglobin, sickle

Extramedullary hematopoiesis of the paranasal sinuses in sickle cell disease (Collins et al). 2005;132:954-956 (Case rep.)

Hemorrhage

Intractable hemorrhage after incision of a vagal paraganglioma mimicking a peritonsillar abscess (Rajan et al). 2005;132:161-162 (Case rep.)

Hemostasis

The use of Ligasure Vessel Sealing System in thyroid surgery (Lachanas et al). 2005;132:487-489

Histology

Long-term histological outcomes of injected autologous fat into human vocal folds after secondary laryngectomy (Sasai et al). 2005;132:685-688

Histopathology

Commentary—routine histopathology in uncomplicated sinus surgery: is it necessary? (Kennedy). 2005;132:413

routine histopathology in uncomplicated sinus surgery: is it necessary? (Romashko and Stankiewicz). 2005;132:407-412

Histoplasma capsulatum

Histoplasmosis presenting as upper airway obstruction (Larsen et al). 2005;132:514-516 (Case rep.)

Histoplasmosis

Histoplasmosis presenting as upper airway obstruction (Larsen et al). 2005;132:514-516 (Case rep.)

Hygroma, cystic. *see* **Lymphangioma, cystic**

Hyperparathyroidism

A systematic review of the diagnosis and treatment of primary hyperparathyroidism from 1995 to 2003 (Ruda et al). 2005;132:359-372

Hypocalcemia

Surgical complications after thyroid surgery performed in a cancer hospital (Filho and Kowalski). 2005;132:490-494

The utility of serum PTH assessment 24 hours after total thyroidectomy (Del Rio et al). 2005;132:584-586

Hypoparathyroidism

The utility of serum PTH assessment 24 hours after total thyroidectomy (Del Rio et al). 2005;132:584-586

Hypopharynx

Four cases of simultaneous triple primary cancers of the hypopharynx, esophagus, and stomach (Ikeda et al). 2005;132:788-793

Pseudotumor of the hypopharynx-displaced superior cornu of the thyroid cartilage (Kao et al). 2005;132:167-168 (Clin. photo.)

Hypothyroidism

Postoperative airway obstruction: a complication of a previously undiagnosed hypothyroidism (Benfari and de Vincentiis). 2005;132:343-344 (Case rep.)

I

Image-guided surgery. *see* **Surgery, computer-assisted**

Immunotherapy

Tumor-dendritic cell fusion as a basis for cancer immunotherapy (Lee et al). 2005;132:755-764

Incus

Acquired atrophy of the long process of the incus (Imauchi et al). 2005;132:156-158 (Case rep.)

Infection

Deep neck infection in diabetic patients: Comparison of clinical picture and outcomes with nondiabetic patients (Huang et al). 2005;132:943-947

Internal carotid pseudoaneurysm within a parapharyngeal infection: an infrequent complication of difficult diagnosis (Pérez Fernández et al). 2005;132:671-673 (Case rep.)

Inpatients

Inpatient management of epistaxis: Outcomes and cost (Goddard and Reiter). 2005;132:707-712

Interferon-alpha

Incidence, age at onset, and potential reasons of malignant transformation in recurrent respiratory papillomatosis patients: 20 years experience (Gerein et al). 2005;132:392-394

Interleukins

Expression of interleukins in patients with nasal polyposis (Voegels and de Melo Pádua). 2005;132:613-616

Intubation

Selinger-assisted videotelescopic intubation (SAVI): A common sense approach to the difficult pediatric airway (Michaelson and Mair). 2005;132:677-680

Ion channels

Ion channel proteins in mouse and human vestibular tissue (Hotchkiss et al). 2005;132:916-923

J

Journalism, medical

Consortium of otolaryngology-head and neck surgery journals to collaborate in maintenance of high ethical standards (Benninger et al). 2005;132: 675-676 (Editorial)

Contribution and accomplishment (Benninger). 2005;132:1-4

Trends in otolaryngology research during the period 1995-2000: a bibliometric approach (Cimmino et al). 2005;132:295-302

Jugular foramen

An intracranial vagal schwannoma without jugular foramen erosion or vagal dysfunction (Flint et al). 2005;132:507-508 (Case rep.)

K

Kaposi's sarcoma

Association between Kaposi's sarcoma and squamous cell carcinoma of larynx (Motta and Motta). 2005;132:802-803 (Clin. photo.)

Keloid

Use of mitomycin C for treatment of keloid: a preliminary report (Talmi et al). 2005;132:598-601

Ketoprofen

Celecoxib and ketoprofen for pain management during tonsillectomy: a placebo-controlled clinical trial (Nikanne et al). 2005;132:287-294

Kimura disease. *see* **Angiolymphoid hyperplasia with eosinophilia**

L

Labor, premature

Parotitis due to ritodrine tocolytic treatment for preterm labor (Marioni et al). 2005;132:665-666 (Case rep.)

Labyrinth

Hearing loss and extent of labyrinthine injury in *Pseudomonas* otitis media (Malaty et al). 2005;132:25-29

Lacrimal apparatus

Pleomorphic adenoma in the palpebral lobe of the lacrimal gland (Marshall et al). 2005;132:141-143 (Case rep.)

Langerhans cells

Prognostic significance of Langerhans cell infiltration of cancer of the larynx (Yilmaz et al). 2005;132:309-316

Laryngeal disease

Oropharyngoesophageal scintigraphy in the diagnostic algorithm of laryngopharyngeal reflux disease: A useful exam? (Galli et al). 2005;132:717-721

Laryngeal muscles

Intrinsic laryngeal muscle reinnervation with nerve-muscle pedicle (Tóth et al). 2005;132:701-706

Laryngeal neoplasms

Comparison of quality of life outcomes in laryngeal cancer patients following chemoradiation *vs.* total laryngectomy (Lotempio et al). 2005;132:948-953 (Review)

Incidence, age at onset, and potential reasons of malignant transformation in recurrent respiratory papillomatosis patients: 20 years experience (Gerein et al). 2005;132:392-394

Laryngeal paraganglioma in a patient with multiple head and neck paragangliomas (Rubin et al). 2005;132:520-522 (Case rep.)

Overexpression of MMP-2 in laryngeal squamous cell carcinoma: a potential indicator for poor prognosis (Liu et al). 2005;132:395-400

Prognostic significance of Langerhans cell infiltration of cancer of the larynx (Yilmaz et al). 2005;132:309-316

Prognostic significance of stromal eosinophilic infiltration in cancer of the larynx. (Ercan et al). 2005;132:869-873

Surgery for laryngeal carcinoma after radiotherapy: partial laryngectomy or toral laryngectomy for a better quality of life? (Sewnaik et al). 2005;132:95-98
Virtual endoscopy of laryngeal carcinoma: Is it useful? (Magnano et al). 2005;132:776-782

Laryngectomy
Comparison of quality of life outcomes in laryngeal cancer patients following chemoradiation *vs.* total laryngectomy (Lotempio et al). 2005;132:948-953 (Review)
Long-term histological outcomes of injected autologous fat into human vocal folds after secondary laryngectomy (Sasai et al). 2005;132:685-688
Oncologic and functional results of supracricoid partial laryngectomy and cricohyoidopexy (Akbas and Demireller). 2005;132:783-787
Surgery for laryngeal carcinoma after radiotherapy: partial laryngectomy or toral laryngectomy for a better quality of life? (Sewnaik et al). 2005;132:95-98
Tracheal wall for the reconstruction of extended hemilaryngectomy in the rabbit model (Brandariz and Grau). 2005;132:770-775

Laryngoscopy
Easy and safe dental protection in rigid endoscopy (Quante et al). 2005;132:247-248
A new instrument to expose the human larynx (Morgado). 2005;132:251-254
A novel laryngoscope instrument stabilizer for operative microlaryngoscopy (Armstrong et al). 2005;132:471-477
As simple and reliable predictor for an adequate laryngeal view with rigid endoscopic laryngoscopy (Low et al). 2005;132:244-246

Laryngostenosis
Laryngotracheal reconstruction in congenital laryngeal webs and atresias (Wyatt and Hartley). 2005;132:232-238

Larynx
Antigen challenge induces a supraglottic but not a subglottic edema in the rat larynx (Niklasson and Dahlqvist). 2005;132:694-700
Association between Kaposi's sarcoma and squamous cell carcinoma of larynx (Motta and Motta). 2005;132:802-803 (Clin. photo.)
Impact of topical anesthesia on acoustic characteristics of voice during laryngeal telescopic examination (Yang and Chen). 2005;132:110-114
Laryngeal granulomatomous infection by *Sporothrix schenckii* (Torrealba et al). 2005;132:339-340 (Case rep.)
Laryngeal sporotrichosis mimicking merkel cell carcinoma recurrence (Henry et al). 2005;132:336-337 (Case rep.)
Laryngotracheal reconstruction in congenital laryngeal webs and atresias (Wyatt and Hartley). 2005;132:232-238
A new instrument to expose the human larynx (Morgado). 2005;132:251-254
Tuberculosis of the larynx associated with orofacial granulomatosis in childhood (Kruschinski and Welkoborsky). 2005;132:967-969 (Clin. photo.)
Vestibular fold flap for post-cordectomy laryngeal reconstruction (Mamede et al). 2005;132:478-483

Laser surgery
Laser carbon dioxide cordectomy versus open surgery in the treatment of glottic carcinoma: Our results (Maurizi et al). 2005;132:857-861
Laser myringotomy for otitis media with effusion in nasopharyngeal carcinoma patients (Hwang et al). 2005;132:924-927
Management of congenital subglottic hemangioma: trends and success over the past 17 years (Bitar et al). 2005;132:226-231
Simultaneous bilateral posterior cordectomy in bilateral vocal fold paralysis (Khalifa). 2005;132:249-250

Leishmaniasis, mucocutaneous
A case of mucocutaneous leishmaniasis (Virgilio and Hale). 2005;132:800-801 (Clin. photo.)

Ligasure Vessel Sealing System
the use of Ligasure Vessel Sealing System in thyroid surgery (Lachanas et al). 2005;132:487-489

Ligation
The use of Ligasure Vessel Sealing System in thyroid surgery (Lachanas et al). 2005;132:487-489

Lingual thyroid
Hashimoto's thyroiditis presenting as an enlarging submandibular mass in a patient with a lingual thyroid (Paresi and Shah). 2005;132:806-808 (Case rep.)

Lipectomy
Analysis of voice function following autologous fat injection for vocal fold paralysis (Umeno et al). 2005;132:103-107
Vocal fold augmentation by autologous fat injection with lipostructure procedure (Cantarella et al). 2005;132:239-243

Lipoblastoma
Lipoblastoma of the neck mimicking cystic hygroma (Rosen et al). 2005;132:511-513 (Case rep.)

Liposuction. *see* **Lipectomy**

Long-term care
Inflammatory pseudotumor of the neck: A long-term result without surgical approach (Ceruse et al). 2005;132:812-813 (Case rep.)

Lung neoplasms
Frontal sinus tumor as first sign of adenocarcinoma of the lung (Rombaux et al). 2005;132:816-817 (Case rep.)

Lymphangioma, cystic
Lipoblastoma of the neck mimicking cystic hygroma (Rosen et al). 2005;132:511-513 (Case rep.)

Lymph nodes
Sentinel lymph node biopsy as staging tool in a multimodality treatment approach to cancer of the oral cavity and the oropharynx (Kovács et al). 2005;132:570-576
The value of frozen section analysis of the sentinel lymph node in clinically N0 squamous cell carcinoma of the oral cavity and oropharynx (Tschopp et al). 2005;132:99-102

T-lymphocytes
prognostic significance of Langerhans cell infiltration of cancer of the larynx (Yilmaz et al). 2005;132:309-316

M

Magnetic resonance imaging
Long-term effects of repetitive transcranial magnetic stimulation (rTMS) in patients with chronic tinnitus (Kleinjung et al). 2005;132:566-569

Mandible
Bone regeneration in the rat mandible with bone morphogenetic protein-2: a comparison of two carriers (Arosarena and Collins). 2005;132:592-597

Mandibular neoplasms
Metastatic renal cell carcinoma to the mandible (Sastre et al). 2005;132:663-664 (Case rep.)

Matrix metalloproteinase-2. *see* **Gelatinase A**

Maxillary sinus
The analysis of maxillary sinus aeration according to aging process; volume assessment by 3-dimensional reconstruction by high-resolution CT scanning (Jun et al). 2005;132:429-434

Indications for the Caldwell-Luc approach in the endoscopic era (Barzilai et al). 2005;132:219-220

Mediastinal cyst

Thoracic duct cysts: a rare differential diagnosis (Gottwald et al). 2005;132:330-333

Melanoma

Melanoma metastasis masquerading as bilateral neuromas (Lee and Weber). 2005;132:505-506 (Case rep.)

Meniere's disease

Surgical management of Meniere's disease in the era of gentamicin (Kaylie et al). 2005;132:443-450

Trends in the diagnosis and the management of Meniere's disease: Results of a survey (Kim et al). 2005;132:722-726

Meningioma

Malignant meningioma of the parapharyngeal space: a rare case (Maheshwar and Steward). 2005;132:144-145 (Case rep.)

Meningitis, bacterial

Bacterial meningitis complicating suppurative otitis media and sinusitis (Aimoni et al). 2005;132:965-966 (Case rep.)

Mental disorders

Psychiatric distress amplifies symptoms after surgery for chronic rhinosinusitis (Davis et al). 2005;132:189-196

Metastases, neoplasm

Pattern of regional metastases from cutaneous squamous cell carcinoma of head and neck (Barzilai et al). 2005;132:852-856

Treatment results on advanced neck metastasis (N3) from head and neck squamous carcinoma (Carvalho et al). 2005;132:862-868

Methicillin resistance

Successful outpatient treatment of sinusitis exacerbations caused by community-acquired methicillin-resistant *Staphylococcus aureus* (Gerencer). 2005;132:828-833

Mice

Ion channel proteins in mouse and human vestibular tissue (Hotchkiss et al). 2005;132:916-923

Microsurgery

A novel laryngoscope instrument stabilizer for operative microlaryngoscopy (Armstrong et al). 2005;132:471-477

Preoperative radiation therapy and its effects on outcomes in microsurgical head and neck reconstruction (Lin et al). 2005;132:845-848

Middle ear effusion. *see* **Otitis media with effusion**

Middle ear implant. *see* **Ossicular prosthesis**

Middle ear ventilation

The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the outcomes of tympanostomy tubes for children with otitis media (Witsell et al). 2005;132:180-188

Gastric reflux is uncommon in acute post-tympanostomy otorrhea (Antonelli et al). 2005;132:523-526

Opening plugged tympanostomy tubes: effect of inner diameter and shaft length (Mehta et al). 2005;132:322-326

Middle fossa approach

Is the middle fossa approach the treatment of choice for intracanalicular vestibular schwannoma? (Colletti and Fiorino). 2005;132:459-466

Mitomycin

Use of mitomycin C for treatment of keloid: a preliminary report (Talmi et al). 2005;132:598-601

Mometasone furoate

Use of mometasone furoate aqueous nasal spray in the treatment of rhinitis medicamentosa: an experimental study (Tas et al). 2005;132:608-612

Mouth neoplasms

Benign calcified mass in tongue (Park et al). 2005;132:146-177 (Case rep.)

Sentinel lymph node biopsy as staging tool in a multimodality treatment approach to cancer of the oral cavity and the oropharynx (Kovács et al). 2005;132:570-576

The value of frozen section analysis of the sentinel lymph node in clinically N0 squamous cell carcinoma of the oral cavity and oropharynx (Tschopp et al). 2005;132:99-102

Movement

Reliability of the "Sydney," "Sunnybrook," and "House Brackmann" facial grading systems to assess voluntary movement and synkinesis after facial nerve paralysis (Coulson et al). 2005;132:543-549

Mucormycosis

Indolent mucormycosis of the sphenoid sinus (Ketenci et al). 2005;132:341-342 (Case rep.)

Mucous membrane

Nitric oxide level in the nasal and sinus mucosa after exposure to electromagnetic field (Yariktas et al). 2005;132:713-716

Myoblastoma, granular cell. *see* **Granular cell tumor**

Myositis

Focal myositis of the sternocleidomastoid muscle (Cheng et al). 2005;132:150-151 (Case rep.)

N

Nasal cavity

Fifty-four wooden toothpicks in the nasal cavity (Takasaki et al). 2005;132:669-670 (Case rep.)

Removal of a nasal leech: A safe and effective methods (Tseng and Ho). 2005;132:814-815 (Case rep.)

Nasal mucosa

Expression of interleukins in patients with nasal polyposis (Voegels and de Melo Pádua). 2005;132:613-616

Ultrastructural detection of nitric oxide in human nasal mucosa (Knipping et al). 2005;132:620-625

Nasal polyps

Expression of interleukins in patients with nasal polyposis (Voegels and de Melo Pádua). 2005;132:613-616

Nasal septum

Schwannoma of the nasal septum removed with endoscopic surgery (Shinohara et al). 2005;132:963-964 (Case rep.)

Three-layer repair of nasoseptal defects (Schultz-Coulon). 2005;132:213-218

Nasopharyngeal neoplasms

Has survival improved for nasopharyngeal carcinoma in the United States? (Lee and Ko). 2005;132:303-308

Laser carbon dioxide cordectomy versus open surgery in the treatment of glottic carcinoma: Our results (Maurizi et al). 2005;132:857-861

Laser myringotomy for otitis media with effusion in nasopharyngeal carcinoma patients (Hwang et al). 2005;132:924-927

Neck

Deep neck infection in diabetic patients: Comparison of clinical picture and outcomes with nondiabetic patients (Huang et al). 2005;132:943-947

Inflammatory pseudotumor of the neck: A long-term result without surgical approach (Ceruse et al). 2005;132:812-813 (Case rep.)

Pediatric dermoid cysts of head and neck (Pryor et al). 2005;132:938-942

Thoracic duct cysts: a rare differential diagnosis (Gottwald et al). 2005;132:330-333

Neck neoplasms. *see* **Head and neck neoplasms**
Neoplasm metastasis
Elective neck dissection *versus* observation in primary parotid carcinoma (Zbaren et al). 2005;132:387-391
Melanoma metastasis masquerading as bilateral neuromas (Lee and Weber). 2005;132:505-506 (Case rep.)
Metastatic renal cell carcinoma to the mandible (Sastre et al). 2005;132:663-664 (Case rep.)
Nerve regeneration
Intrinsic laryngeal muscle reinnervation with nerve-muscle pedicle (Tóth et al). 2005;132:701-706
Neurilemmoma
An intracranial vagal schwannoma without jugular foramen erosion or vagal dysfunction (Flint et al). 2005;132:507-508 (Case rep.)
Ethmoid schwannoma (Gillman and Bryson). 2005;132:334-335 (Case rep.)
Facial nerve schwannoma presenting as conductive hearing loss (Montague et al). 2005;132:509-510 (Case rep.)
Is the middle fossa approach the treatment of choice for intracanalicular vestibular schwannoma? (Colletti and Fiorino). 2005;132:459-466
Schwannoma of the nasal septum removed with endoscopic surgery (Shinohara et al). 2005;132:963-964 (Case rep.)
Neuroma, acoustic
Melanoma metastasis masquerading as bilateral neuromas (Lee and Weber). 2005;132:505-506 (Case rep.)
Staged resection of acoustic neuromas (Patni and Kartush). 2005;132:11-19
Neurothekeoma
Neurothekeoma (Ward et al). 2005;132:86-89
Nitric oxide
Nitric oxide level in the nasal and sinus mucosa after exposure to electromagnetic field (Yariktas et al). 2005;132:713-716
Ultrastructural detection of nitric oxide in human nasal mucosa (Knipping et al). 2005;132:620-625
Nose
The full-thickness forehead flap for complex nasal defects: a preliminary study (Sedwick et al). 2005;132:381-386
Nose bleed. *see* **Epistaxis**
Nystagmus, physiologic
Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ? (Pau et al). 2005;132:43-49

O

Orbital neoplasms
Pleomorphic adenoma in the palpebral lobe of the lacrimal gland (Marshall et al). 2005;132:141-143 (Case rep.)
Oropharyngeal neoplasms
The value of frozen section analysis of the sentinel lymph node in clinically N0 squamous cell carcinoma of the oral cavity and oropharynx (Tschopp et al). 2005;132:99-102
Ossicular prosthesis
Safety evaluation of titanium middle ear protheses at 3.0 tesla (Martin et al). 2005;132:537-542
Osteogenesis imperfecta
Cochlear implantation in patients with osteogenesis imperfecta (Streubel and Lustig). 2005;132:735-740
Otitis media
The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the outcomes of tympanostomy tubes for children with otitis media (Witsell et al). 2005;132:180-188
Facial palsy associated with acute otitis media (Popovtzer et al). 2005;132:327-329
Intracranial complications of otitis media: 15 years of experience in 33 patients (Penido et al). 2005;132:37-42
Measuring quality of life in preschool children with sore throats and otitis media using the TAPQOL questionnaire (Kubba et al). 2005;132:647-652
Preoperative antibiotic and steroid therapy and hearing loss caused by semicircular canal transection in pseudomonas otitis media (Lee et al). 2005;132:896-900
Reading performance in children with otitis media (Golz et al). 2005;132:495-499
Otitis media, suppurative
Bacterial meningitis complicating suppurative otitis media and sinusitis (Aimoni et al). 2005;132:965-966 (Case rep.)
Hearing loss and extent of labyrinthine injury in *Pseudomonas* otitis media (Malaty et al). 2005;132:25-29
Otitis media with effusion
Laser myringotomy for otitis media with effusion in nasopharyngeal carcinoma patients (Hwang et al). 2005;132:924-927
Reading performance in children with otitis media (Golz et al). 2005;132:495-499
Otoacoustic emissions, spontaneous
DPOAE-grams in patients with acute tinnitus (Gouveris et al). 2005;132:550-553
Otolaryngology
Trends in otolaryngology research during the period 1995-2000: a bibliometric approach (Cimmino et al). 2005;132:295-302
Otosclerosis
Modified stapes prosthesis to limit postoperative vertigo (Wang et al). 2005;132:50-54
Outcome assessment (health care)
The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the effectiveness of medical and surgical treatment for patients with chronic rhinosinusitis (Witsell et al). 2005;132:171-179
The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the outcomes of tympanostomy tubes for children with otitis media (Witsell et al). 2005;132:180-188
Deep neck infection in diabetic patients: Comparison of clinical picture and outcomes with nondiabetic patients (Huang et al). 2005;132:943-947
Inpatient management of epistaxis: Outcomes and cost (Goddard and Reiter). 2005;132:707-712
Outcomes research and the AAO-HNS Foundation (Monsell). 2005;132:169-170 (Editorial)

P

Pain, postoperative
Celecoxib and ketoprofen for pain management during tonsillectomy: a placebo-controlled clinical trial (Nikanne et al). 2005;132:287-294
Palate, soft
Palatal implants for primary snoring: short-term results of a new minimally invasive surgical technique (Maurer et al). 2005;132:125-131
Papilloma
Incidence, age at onset, and potential reasons of malignant transformation in recurrent respiratory papillomatosis patients: 20 years experience (Gerein et al). 2005;132:392-394
Papilloma, inverted
Endoscopic surgery of inverted papillomas under image guidance: a prospective study of 42 consecutive cases at a Danish

university clinic (von Buchwald and Larsen). 2005;132:602-607

Papillomavirus, human

Incidence, age at onset, and potential reasons of malignant transformation in recurrent respiratory papillomatosis patients: 20 years experience (Gerein et al). 2005;132:392-394

Paraganglioma

Intractable hemorrhage after incision of a vagal paraganglioma mimicking a peritonsillar abscess (Rajan et al). 2005;132:161-162 (Case rep.)

Laryngeal paraganglioma in a patient with multiple head and neck paragangliomas (Rubin et al). 2005;132:520-522 (Case rep.)

Paragangliomas in patients with mutations of the SDHD gene (Boedeker et al). 2005;132:467-470

Tracheal paraganglioma presenting with acute airway obstruction (Michaelson et al). 2005;132:661-662 (Case rep.)

Paranasal sinuses

The analysis of maxillary sinus aeration according to aging process; volume assessment by 3-dimensional reconstruction by high-resolution CT scanning (Jun et al). 2005;132:429-434

Ethmoid schwannoma (Gillman and Bryson). 2005;132:334-335 (Case rep.)

Extramedullary hematopoiesis of the paranasal sinuses in sickle cell disease (Collins et al). 2005;132:954-956 (Case rep.)

Uncommon anatomic variations in patients with chronic paranasal sinusitis (Chao). 2005;132:221-225

Parapharyngeal space

Internal carotid pseudoaneurysm within a parapharyngeal infection: an infrequent complication of difficult diagnosis (Pérez Fernández et al). 2005;132:671-673 (Case rep.)

Intractable hemorrhage after incision of a vagal paraganglioma mimicking a peritonsillar abscess (Rajan et al). 2005;132:161-162 (Case rep.)

Malignant meningioma of the parapharyngeal space: a rare case (Maheshwar and Steward). 2005;132:144-145 (Case rep.)

Primary parapharyngeal space tumors in a Mexican cancer center (Luna-Ortiz et al). 2005;132:587-591

Surgical management of parapharyngeal space tumors: a 10-year review (Khafif et al). 2005;132:401-406

Parasites

Removal of a nasal leech: A safe and effective methods (Tseng and Ho). 2005;132:814-815 (Case rep.)

Parathyroid hormones

A systematic review of the diagnosis and treatment of primary hyperparathyroidism from 1995 to 2003 (Ruda et al). 2005;132:359-372

The utility of serum PTH assessment 24 hours after total thyroidectomy (Del Rio et al). 2005;132:584-586

Parotid neoplasms

Elective neck dissection *versus* observation in primary parotid carcinoma (Zbaren et al). 2005;132:387-391

Local excision procedure for Warthin's tumor of the parotid gland (Iwai and Yamashita). 2005;132:577-580

Parotitis

Parotitis due to ritodrine tocolytic treatment for preterm labor (Marioni et al). 2005;132:665-666 (Case rep.)

Patient preference. *see* **Patient satisfaction**

Patient satisfaction

Development of questionnaires to measure patient preferences for intranasal corticosteroids in patients with allergic rhinitis (Meltzer et al). 2005;132:197-207

Peritonsillar abscess

Intractable hemorrhage after incision of a vagal paraganglioma mimicking a peritonsillar abscess (Rajan et al). 2005;132:161-162 (Case rep.)

Pharyngitis

Measuring quality of life in preschool children with sore throats and otitis media using the TAPQOL questionnaire (Kubba et al). 2005;132:647-652

Phonation

The role of adjustment of expiratory effort in the control of vocal intensity: clinical assessment of phonatory function (Makiyama et al). 2005;132:641-646

Polysomnography

The effect of polysomnography on pediatric adenotonsillectomy postoperative management (Rieder and Flanary). 2005;132:263-267

OSAS in children: correlation between endoscopic and polysomnographic findings (Valera et al). 2005;132:268-272

Polysomnography indexes are discordant with quality of life, symptoms, and reaction times in sleep apnea patients (Weaver et al). 2005;132:255-262

Positional vertigo

Benign positional vertigo after cochlear implantation (Limb et al). 2005;132:741-745

Postoperative complications

Benign positional vertigo after cochlear implantation (Limb et al). 2005;132:741-745

Postoperative airway obstruction: a complication of a previously undiagnosed hypothyroidism (Benfari and de Vincentiis). 2005;132:343-344 (Case rep.)

surgical complications after thyroid surgery performed in a cancer hospital (Filho and Kowalski). 2005;132:490-494

Postoperative hemorrhage

hemorrhage following tonsillectomy and adenoidectomy in 15,218 patients (Windfuhr et al). 2005;132:281-286

Preoperative care

Preoperative antibiotic and steroid therapy and hearing loss caused by semicircular canal transection in pseudomonas otitis media (Lee et al). 2005;132:896-900

Preoperative radiation therapy and its effects on outcomes in microsurgical head and neck reconstruction (Lin et al). 2005;132:845-848

Pressed scar tissue grafts

Pressed scar tissue for tympanic membrane grafting in revision tympanoplasty (Chang and Gray). 2005;132:30-36

Prognosis

Prognostic significance of stromal eosinophilic infiltration in cancer of the larynx. (Ercan et al). 2005;132:869-873

Propharyngeal neoplasms

Sentinel lymph node biopsy as staging tool in a multimodality treatment approach to cancer of the oral cavity and the oropharynx (Kovács et al). 2005;132:570-576

Prostheses and implants

Palatal implants for primary snoring: short-term results of a new minimally invasive surgical technique (Maurer et al). 2005;132:125-131

Pseudoaneurysm. *see* **Aneurysm, false**

Pseudomonas aeruginosa

Hearing loss and extent of labyrinthine injury in *Pseudomonas* otitis media (Malaty et al). 2005;132:25-29

Pseudotumor, inflammatory

Inflammatory pseudotumor of the neck: A long-term result without surgical approach (Ceruse et al). 2005;132:812-813 (Case rep.)

Pterygopalatine fossa

Surgical management of primary and secondary tumors in the pterygopalatine fossa (Jian et al). 2005;132:90-94

Q

Quality of life
Comparison of quality of life outcomes in laryngeal cancer patients following chemoradiation *vs.* total laryngectomy (Lotempio et al). 2005;132:948-953 (Review)
Measuring quality of life in preschool children with sore throats and otitis media using the TAPQOL questionnaire (Kubba et al). 2005;132:647-652
Polysomnography indexes are discordant with quality of life, symptoms, and reaction times in sleep apnea patients (Weaver et al). 2005;132:255-262
Surgery for laryngeal carcinoma after radiotherapy: partial laryngectomy or toral laryngectomy for a better quality of life? (Sewnaik et al). 2005;132:95-98
Questionnaires
Development of questionnaires to measure patient preferences for intranasal corticosteroids in patients with allergic rhinitis (Meltzer et al). 2005;132:197-207

R

Rabbits
Tracheal wall for the reconstruction of extended hemilaryngectomy in the rabbit model (Brandariz and Grau). 2005;132:770-775
Racial paralysis
Reliability of the "Sydney," "Sunnybrook," and "House Brackmann" facial grading systems to assess voluntary movement and synkinesis after facial nerve paralysis (Coulson et al). 2005;132:543-549
Radiation, ionizing
Comparison of quality of life outcomes in laryngeal cancer patients following chemoradiation *vs.* total laryngectomy (Lotempio et al). 2005;132:948-953 (Review)
Preoperative radiation therapy and its effects on outcomes in microsurgical head and neck reconstruction (Lin et al). 2005;132:845-848
Radiation-sensitizing agents
Curcumin: a new radio-sensitizer of squamous cell carcinoma cells (Khafif et al). 2005;132:317-321
Radiofrequency, temperature-controlled
Multilevel temperature-controlled radiofrequency for obstructive sleep apnea: extended follow-up (Steward et al). 2005;132:630-635
Radiofrequency volumetric tissue reduction
Volumetric tissue reduction in radiofrequency surgery of the tongue base (Stuck et al). 2005;132:132-135
Radiotherapy
Curcumin: a new radio-sensitizer of squamous cell carcinoma cells (Khafif et al). 2005;132:317-321
Neoadjuvant and concomitant chemotherapy and radiation therapy in patients with advanced head and neck carcinoma (Rinehart et al). 2005;132:69-74
Surgery for laryngeal carcinoma after radiotherapy: partial laryngectomy or toral laryngectomy for a better quality of life? (Sewnaik et al). 2005;132:95-98
Reading
Reading performance in children with otitis media (Golz et al). 2005;132:495-499
Reconstructive surgical procedures
Definitive management of severe facial trauma utilizing free tissue transfer (Futran et al). 2005;132:75-85
The full-thickness forehead flap for complex nasal defects: a preliminary study (Sedwick et al). 2005;132:381-386
Laryngotracheal reconstruction in congenital laryngeal webs and atresias (Wyatt and Hartley). 2005;132:232-238
Use of Mimix hydroxyapatite bone cement for difficult ossicular reconstruction (Goebel and Jacob). 2005;132:727-734
The utility of the temporalis muscle flap for oropharyngeal, base of tongue, and nasopharyngeal reconstruction (Smith et al). 2005;132:373-380
Vestibular fold flap for post-cordectomy laryngeal reconstruction (Mamede et al). 2005;132:478-483
Reliability of results
Reliability of cochlear implants (Maurer et al). 2005;132:746-750
Research
Trends in otolaryngology research during the period 1995-2000: a bibliometric approach (Cimmino et al). 2005;132:295-302
Rhinitis, allergic
Development of questionnaires to measure patient preferences for intranasal corticosteroids in patients with allergic rhinitis (Meltzer et al). 2005;132:197-207
Eustachian tube dysfunction in allergic rhinitis (Lazo-Sáenz et al). 2005;132:626-631
Rhinitis, allergic, perennial
Use of mometasone furoate aqueous nasal spray in the treatment of rhinitis medicamentosa: an experimental study (Tas et al). 2005;132:608-612
Ritodrine
Parotitis due to ritodrine tocolytic treatment for preterm labor (Marioni et al). 2005;132:665-666 (Case rep.)

S

Saccule and utricle
Modified stapes prosthesis to limit postoperative vertigo (Wang et al). 2005;132:50-54
Salivary glands
Hematoserological analysis of Kimura's disease for optimal treatment (Sakamoto et al). 2005;132:159-160 (Case rep.)
Satisfaction
Satisfaction and gender issues in otolaryngology residency (Wynn and Rosenfeld). 2005;132:823-827
Schwannoma. *see* **Neurilemmoma**
Scintigraphy
Oropharyngoesophageal scintigraphy in the diagnostic algorithm of laryngopharyngeal reflux disease: A useful exam? (Galli et al). 2005;132:717-721
Semicircular canals
Hearing loss and extent of labyrinthine injury in *Pseudomonas* otitis media (Malaty et al). 2005;132:25-29
Sialocele, submandibular
Idiopathic submandibular sialoceles in the neck (Ang and Goh). 2005;132:517-519 (Case rep.)
Silence
The effect of silence on tinnitus perception (Tucker et al). 2005;132:20-24
Sinusitis
Bacterial meningitis complicating suppurative otitis media and sinusitis (Aimoni et al). 2005;132:965-966 (Case rep.)
Chronic rhinosinusitis and biofilms (Ramadan et al). 2005;132:414-417
The Cooperative Outcomes Group for ENT: a multicenter prospective cohort study on the effectiveness of medical and surgical treatment for patients with chronic rhinosinusitis (Witsell et al). 2005;132:171-179
Psychiatric distress amplifies symptoms after surgery for chronic rhinosinusitis (Davis et al). 2005;132:189-196

Successful outpatient treatment of sinusitis exacerbations caused by community-acquired methicillin-resistant *Staphylococcus aureus* (Gerencer). 2005;132:828-833
Uncommon anatomic variations in patients with chronic paranasal sinusitis (Chao). 2005;132:221-225

Sinus surgery
Commentary—routine histopathology in uncomplicated sinus surgery: is it necessary? (Kennedy). 2005;132:413
Endoscopic CSF rhinorrhea closure: our experience in 267 cases (Kirtane et al). 2005;132:208-212
Indications for the Caldwell-Luc approach in the endoscopic era (Barzilai et al). 2005;132:219-220
Uncommon anatomic variations in patients with chronic paranasal sinusitis (Chao). 2005;132:221-225

Skull base
Endoscopic management of cerebrospinal fluid leak associated with the use of bone wax in skull-base surgery (Bolger et al). 2005;132:418-420

Skull base neoplasms
Surgical management of primary and secondary tumors in the pterygopalatine fossa (Jian et al). 2005;132:90-94

Sleep apnea, obstructive
The effect of polysomnography on pediatric adenotonsillectomy postoperative management (Rieder and Flanary). 2005;132:263-267
Effects of genioglossal muscle advancement on speech: a acoustic study of vowel sounds (Vähätalo et al). 2005;132:636-640
Multilevel temperature-controlled radiofrequency for obstructive sleep apnea: extended follow-up (Steward et al). 2005;132:630-635
Obstructive sleep apnea and head and neck neoplasms (Rada). 2005;132:794-799 (Review)
OSAS in children: correlation between endoscopic and polysomnographic findings (Valera et al). 2005;132:268-272
Outcome of adenotonsillectomy for obstructive sleep apnea in children under 3 years (Mitchell and Kelly). 2005;132:681-684
Polysomnography indexes are discordant with quality of life, symptoms, and reaction times in sleep apnea patients (Weaver et al). 2005;132:255-262

Sleep apnea syndromes
Volumetric tissue reduction in radiofrequency surgery of the tongue base (Stuck et al). 2005;132:132-135

Sleep-disordered breathing. *see* **Sleep apnea syndromes**

Snoring
Palatal implants for primary snoring: short-term results of a new minimally invasive surgical technique (Maurer et al). 2005;132:125-131

Somatiform disorders
Psychiatric distress amplifies symptoms after surgery for chronic rhinosinusitis (Davis et al). 2005;132:189-196

Sore throat. *see* Pharyngitis

Sound localization
Localization by unilateral BAHA users (Wazen et al). 2005;132:928-932

Sphenoid sinus
Indolent mucormycosis of the sphenoid sinus (Ketenci et al). 2005;132:341-342 (Case rep.)

Sporothrix schenckii
Laryngeal granulomatomous infection by *Sporothrix schenckii* (Torrealba et al). 2005;132:339-340 (Case rep.)
Laryngeal sporotrichosis mimicking merkel cell carcinoma recurrence (Henry et al). 2005;132:336-337 (Case rep.)

Sporotrichosis
Laryngeal granulomatomous infection by *Sporothrix schenckii* (Torrealba et al). 2005;132:339-340 (Case rep.)
Laryngeal sporotrichosis mimicking merkel cell carcinoma recurrence (Henry et al). 2005;132:336-337 (Case rep.)

Stapes surgery
Modified stapes prosthesis to limit postoperative vertigo (Wang et al). 2005;132:50-54

Staphylococcus aureus
Successful outpatient treatment of sinusitis exacerbations caused by community-acquired methicillin-resistant *Staphylococcus aureus* (Gerencer). 2005;132:828-833

Sternocleidomastoid muscle
Focal myositis of the sternocleidomastoid muscle (Cheng et al). 2005;132:150-151 (Case rep.)

Steroids
Intratympanic steroid perfusion for refractory sensorineural hearing loss (Herr and Marzo). 2005;132:527-531
Oral steroid regimens for idiopathic sudden sensorineural hearing loss (Slattery et al). 2005;132:5-10
Preoperative antibiotic and steroid therapy and hearing loss caused by semicircular canal transection in pseudomonas otitis media (Lee et al). 2005;132:896-900

Stomach neoplasms
Four cases of simultaneous triple primary cancers of the hypopharynx, esophagus, and stomach (Ikeda et al). 2005;132:788-793

Stomaococcus mucilaginosis
Stomaococcus mucilaginosis infection leading to early necrotizing fasciitis (Lowry and Brennan). 2005;132:658-660 (Case rep.)

Subclottis
Antigen challenge induces a supraglottic but not a subglottic edema in the rat larynx (Niklasson and Dahlqvist). 2005;132:694-700

Subglottis
Management of congenital subglottic hemangioma: trends and success over the past 17 years (Bitar et al). 2005;132:226-231
Pediatric subglottic granular cell myoblastoma (Sobol et al). 2005;132:655-657 (Case rep.)

Submandibular gland
Efficacy of topotecan treatment on antioxidant enzymes and TBA-RS levels in submandibular glands of rabbits: and experimental study (Muluk et al). 2005;132:136-140
Idiopathic submandibular sialoceles in the neck (Ang and Goh). 2005;132:517-519 (Case rep.)
Imperforate submandibular duct (Walker). 2005;132:653-654 (Clin. photo.)

Submandibular gland neoplasms
Hashimoto's thyroiditis presenting as an enlarging submandibular mass in a patient with a lingual thyroid (Paresi and Shah). 2005;132:806-808 (Case rep.)

Succinate dehydrogenase subunit D (SDHD) gene
Paragangliomas in patients with mutations of the SDHD gene (Boedeker et al). 2005;132:467-470

Surgery, computer-assisted
The accuracy of computer-aided surgery in neurotologic approaches to the temporal bone: a cadaver study (Copeland et al). 2005;132:421-428
In vitro assessment of image-guided otologic surgery: submillimeter accuracy within the region of the temporal bone (Labadie et al). 2005;132:435-442

Surgery, image-guided. *see* **Surgery, computer-assisted**
Surgical flaps
The full-thickness forehead flap for complex nasal defects: a preliminary study (Sedwick et al). 2005;132:381-386
Intrinsic laryngeal muscle reinnervation with nerve-muscle pedicle (Tóth et al). 2005;132:701-706
The utility of the temporalis muscle flap for oropharyngeal, base of tongue, and nasopharyngeal reconstruction (Smith et al). 2005;132:373-380
Vestibular fold flap for post-cordectomy laryngeal reconstruction (Mamede et al). 2005;132:478-483
Surgical procedure, operative
Laser carbon dioxide cordectomy versus open surgery in the treatment of glottic carcinoma: Our results (Maurizi et al). 2005;132:857-861
Surgical procedures, minimally invasive
Palatal implants for primary snoring: short-term results of a new minimally invasive surgical technique (Maurer et al). 2005;132:125-131
Surgical procedures, operative
The "pull-back" technique for Nucleus 24 perimodiolar electrode insertion (Todt et al). 2005;132:751-754
The surgical approach to retrosternal goiters: The role of computerized tomography (Grainger et al). 2005;132:849-851
Total tympanic membrane reconstruction: AlloDerm *versus* temporalis fascia (Fishman et al). 2005;132:906-915
Survival rate
Has survival improved for nasopharyngeal carcinoma in the United States? (Lee and Ko). 2005;132:303-308
Survival outcomes for second primary head and neck cancer: matched analysis (Bhattacharyya and Nayak). 2005;132:63-68
Swallowing. *see* **Deglutition**
Synkinesis
Reliability of the "Sydney," "Sunnybrook," and "House Brackmann" facial grading systems to assess voluntary movement and synkinesis after facial nerve paralysis (Coulson et al). 2005;132:543-549

T

Taiwan
Adult acute epiglottis: Experiences in a Taiwanese setting (Chang et al). 2005;132:689-693
Tamponade
Rapid Rhino: a new pneumatic nasal tamponade for posterior epistaxis (Gudziol et al). 2005;132:152-155 (Case rep.)
Telescopy, laryngeal
Impact of topical anesthesia on acoustic characteristics of voice during laryngeal telescopic examination (Yang and Chen). 2005;132:110-114
Selinger-assisted videotelescopic intubation (SAVI): A common sense approach to the difficult pediatric airway (Michaelson and Mair). 2005;132:677-680
Telomerase
Inhibition of growth and telomerase activity by novel cationic ceramide analogs with high solubility in human head and neck squamous cell carcinoma cells (Rossi et al). 2005;132:55-62
Temporal bone
The accuracy of computer-aided surgery in neurotologic approaches to the temporal bone: a cadaver study (Copeland et al). 2005;132:421-428
Cochlear implantation in a patient with bilateral temporal bone fractures (Simons et al). 2005;132:809-811 (Case rep.)
In vitro assessment of image-guided otologic surgery: submillimeter accuracy within the region of the temporal bone (Labadie et al). 2005;132:435-442
Temporal muscle
Actinomycosis presenting as a temporal mass (Marrs et al). 2005;132:163-164 (Case rep.)
The utility of the temporalis muscle flap for oropharyngeal, base of tongue, and nasopharyngeal reconstruction (Smith et al). 2005;132:373-380
Thoracic duct
Thoracic duct cysts: a rare differential diagnosis (Gottwald et al). 2005;132:330-333
Thyroarytenoid muscle
A histopathological study of thyroarytenoid muscle invasion in early (T1) glottic carcinoma (Kocatürk et al). 2005;132:581-583
Thyroid cartilage
Pseudotumor of the hypopharynx-displaced superior cornu of the thyroid cartilage (Kao et al). 2005;132:167-168 (Clin. photo.)
Thyroidectomy
Surgical complications after thyroid surgery performed in a cancer hospital (Filho and Kowalski). 2005;132:490-494
The use of Ligasure Vessel Sealing System in thyroid surgery (Lachanas et al). 2005;132:487-489
The utility of serum PTH assessment 24 hours after total thyroidectomy (Del Rio et al). 2005;132:584-586
Thyroid gland
Papillary and follicular variant of papillary carcinoma of the thyroid: Initial presentation and response to therapy (Burningham et al). 2005;132:840-844
Thyroid neoplasms
Papillary carcinoma arising in an ectopic submental thyroid gland (Miller and Steward). 2005;132:148-149 (Case rep.)
Thyroid nodule
Thyroid nodules: Evaluation with power Doppler and duplex Doppler ultrasound (Chammas et al). 2005;132:874-882
Thyroplasty
A simple method to expose the surgical field when performing a thyroplasty (Laccourreye and Holsinger). 2005;132:108-109
Time
Implementation of duty hour standards in otolaryngology-head and neck surgery residency training (Kupferman and Lian). 2005;132:819-822
Tinnitus
DPOAE-grams in patients with acute tinnitus (Gouveris et al). 2005;132:550-553
The effect of silence on tinnitus perception (Tucker et al). 2005;132:20-24
Evaluation of botulinum toxin A in treatment of tinnitus (Stidham et al). 2005;132:883-889
Long-term effects of repetitive transcranial magnetic stimulation (rTMS) in patients with chronic tinnitus (Kleinjung et al). 2005;132:566-569
Tinnitus Retraining Therapy
the effect of silence on tinnitus perception (Tucker et al). 2005;132:20-24
Tissue transplantation
Pressed scar tissue for tympanic membrane grafting in revision tympanoplasty (Chang and Gray). 2005;132:30-36
Three-layer repair of nasoseptal defects (Schultz-Coulon). 2005;132:213-218
Titanium
Safety evaluation of titanium middle ear protheses at 3.0 tesla (Martin et al). 2005;132:537-542

Tocolytic agents
Parotitis due to ritodrine tocolytic treatment for preterm labor (Marioni et al). 2005;132:665-666 (Case rep.)
Tomography, computed
The analysis of maxillary sinus aeration according to aging process; volume assessment by 3-dimensional reconstruction by high-resolution CT scanning (Jun et al). 2005;132:429-434
The surgical approach to retrosternal goiters: The role of computerized tomography (Grainger et al). 2005;132:849-851
Tomography, emission-computed
Long-term effects of repetitive transcranial magnetic stimulation (rTMS) in patients with chronic tinnitus (Kleinjung et al). 2005;132:566-569
Tongue
Benign calcified mass in tongue (Park et al). 2005;132:146-177 (Case rep.)
Tongue base reduction
Volumetric tissue reduction in radiofrequency surgery of the tongue base (Stuck et al). 2005;132:132-135
Tonsillectomy
The effect of polysomnography on pediatric adenotonsillectomy postoperative management (Rieder and Flanary). 2005;132:263-267
Hemorrhage following tonsillectomy and adenoidectomy in 15,218 patients (Windfuhr et al). 2005;132:281-286
Outcome of adenotonsillectomy for obstructive sleep apnea in children under 3 years (Mitchell and Kelly). 2005;132:681-684
Randomized controlled trial of Coblation *versus* electrocautery tonsillectomy (Chang). 2005;132:273-280
Tooth injuries
Easy and safe dental protection in rigid endoscopy (Quante et al). 2005;132:247-248
Toothpicks
Fifty-four wooden toothpicks in the nasal cavity (Takasaki et al). 2005;132:669-670 (Case rep.)
Topotecan
Efficacy of topotecan treatment on antioxidant enzymes and TBA-RS levels in submandibular glands of rabbits: and experimental study (Muluk et al). 2005;132:136-140
Trachea
Tracheal wall for the reconstruction of extended hemilaryngectomy in the rabbit model (Brandariz and Grau). 2005;132:770-775
Tracheal neoplasms
Tracheal paraganglioma presenting with acute airway obstruction (Michaelson et al). 2005;132:661-662 (Case rep.)
Tracheostomy
A new surgical technique for primary closure of long-term tracheostomy (Eliashar et al). 2005;132:115-118
Tracheotomy
The influence of tracheotomy tubes on the swallowing frequency in neurogenic dysphagia (Seidl et al). 2005;132:484-486
Transcranial magnetic stimulation
Long-term effects of repetitive transcranial magnetic stimulation (rTMS) in patients with chronic tinnitus (Kleinjung et al). 2005;132:566-569
Transplantation, autologous
Long-term histological outcomes of injected autologous fat into human vocal folds after secondary laryngectomy (Sasai et al). 2005;132:685-688
Treatment outcome
Oncologic and functional results of supracricoid partial laryngectomy and cricohyoidopexy (Akbas and Demireller). 2005;132:783-787
Tuberculosis
Tuberculosis of the larynx associated with orofacial granulomatosis in childhood (Kruschinski and Welkoborsky). 2005;132:967-969 (Clin. photo.)
Tympanic membrane
Pressed scar tissue for tympanic membrane grafting in revision tympanoplasty (Chang and Gray). 2005;132:30-36
Total tympanic membrane reconstruction: AlloDerm *versus* temporalis fascia (Fishman et al). 2005;132:906-915
Tympanic membrane perforation
Mediolateral graft tympanoplasty for anterior of subtotal tympanic membrane perforation (Jung and Park). 2005;132:532-536
Tympanoplasty
Hearing results after primary cartilage tympanoplasty with island technique (Kirazli et al). 2005;132:933-937
Mediolateral graft tympanoplasty for anterior of subtotal tympanic membrane perforation (Jung and Park). 2005;132:532-536
Pressed scar tissue for tympanic membrane grafting in revision tympanoplasty (Chang and Gray). 2005;132:30-36
Tympanostomy tube insertion. *see* **Middle ear ventilation**

U

Ultrasonography
Ultrasound-guided closed drainage for abscesses of the head and neck (Chang et al). 2005;132:119-124
Ultrasonography, Doppler
Evaluation of tumor oxygenation by color duplex sonography: A new approach (DiMartino et al). 2005;132:765-769
Thyroid nodules: Evaluation with power Doppler and duplex Doppler ultrasound (Chammas et al). 2005;132:874-882

V

Vagus nerve
An intracranial vagal schwannoma without jugular foramen erosion or vagal dysfunction (Flint et al). 2005;132:507-508 (Case rep.)
Vertigo
Benign positional vertigo after cochlear implantation (Limb et al). 2005;132:741-745
Management of posttraumatic vertigo (Ernst et al). 2005;132:554-558
Modified stapes prosthesis to limit postoperative vertigo (Wang et al). 2005;132:50-54
Surgical management of Meniere's disease in the era of gentamicin (Kaylie et al). 2005;132:443-450
Vestibular diseases
Is the middle fossa approach the treatment of choice for intracanalicular vestibular schwannoma? (Colletti and Fiorino). 2005;132:459-466
Vestibular fold flap
Vestibular fold flap for post-cordectomy laryngeal reconstruction (Mamede et al). 2005;132:478-483
Vestibule
Can electromagnetic fields emitted by mobile phones stimulate the vestibular organ? (Pau et al). 2005;132:43-49
Ion channel proteins in mouse and human vestibular tissue (Hotchkiss et al). 2005;132:916-923
Viruses
West Nile virus: a primer for the otolaryngologist (Michaelson and Mair). 2005;132:347-352

Vocal cord paralysis
Analysis of voice function following autologous fat injection for vocal fold paralysis (Umeno et al). 2005;132:103-107
A simple method to expose the surgical field when performing a thyroplasty (Laccourreye and Holsinger). 2005;132:108-109
Simultaneous bilateral posterior cordectomy in bilateral vocal fold paralysis (Khalifa). 2005;132:249-250
Vocal cords
Vocal fold augmentation by autologous fat injection with lipostructure procedure (Cantarella et al). 2005;132:239-243
Vocal folds
Long-term histological outcomes of injected autologous fat into human vocal folds after secondary laryngectomy (Sasai et al). 2005;132:685-688
Vocal intensity
The role of adjustment of expiratory effort in the control of vocal intensity: clinical assessment of phonatory function (Makiyama et al). 2005;132:641-646
Voice quality
Analysis of voice function following autologous fat injection for vocal fold paralysis (Umeno et al). 2005;132:103-107
Effects of genioglossal muscle advancement on speech: a acoustic study of vowel sounds (Vähätalo et al). 2005;132:636-640
Impact of topical anesthesia on acoustic characteristics of voice during laryngeal telescopic examination (Yang and Chen). 2005;132:110-114
Otolaryngologic presentations of amyotrophic lateral sclerosis (Chen and Garrett). 2005;132:500-504
Vowels
Effects of genioglossal muscle advancement on speech: a acoustic study of vowel sounds (Vähätalo et al). 2005;132:636-640

W

Warthin tumor. *see* **Adenolymphoma**
West Nile fever
West Nile virus: a primer for the otolaryngologist (Michaelson and Mair). 2005;132:347-352
West Nile virus
West Nile virus: a primer for the otolaryngologist (Michaelson and Mair). 2005;132:347-352
Wounds, gunshot
Definitive management of severe facial trauma utilizing free tissue transfer (Futran et al). 2005;132:75-85